

APW *wyott*

PRODUCT GUIDE



Charbroilers • Griddles • Hot Plates
Conveyor & Bun Grill Toasters
Classic Insulated Warmers
Roller Grills & Roller Grill Accessories
Concession • Overhead Warmers • Food Wells



PRODUCT GUIDE

pricing effective
April 1, 2022

Inquiries / Customer Service

(800) 527-2100

Place an Order

ordercc@apwbakerspride.com
orderlp@apwbakerspride.com
orderre@apwbakerspride.com
ordersc@apwbakerspride.com

Technical Service

(800) 733-2203
techservice@partstown.com

Parts

partstown.com/apw-wyott/parts

APW Wyott

265 Hobson Street
Smithville, TN 37166
Main (800) 527-2100
Fax (214) 565-0976
apwwyott.com

**Pricing subject to change. Always
check Autoquotes for latest pricing
prior to placing an order.**

The electrical and dimensional information supplied is for reference purposes only. APW Wyott reserves the right to modify specifications or discontinue models without incurring obligation. Prices are subject to change.

Table of Contents

pricing effective
April 1, 2022



WORKLINE SERIES

CHARBROILERS-GRIDDLES-HOT PLATES-STANDS

Workline Series Gas Radiant Charbroilers GCB-xxS	1
Workline Series Gas CharRock Charbroilers GCRB-xxS	1
Workline Series Thermostatic Gas Griddles GGT-xxS	2
Workline Series Manual Gas Griddles GGM-xxS	2
Workline Series Electric Griddles EG-xxS	3
Workline Series Flat Gas Hot Plates GHP-xxS	4
Workline Series Electric Hot Plates SEHPS	4
Workline Series Equipment Stands	5

TOASTERS

ECO-4000 Energy Saving Toaster ECO4000	6
AT Express Radiant Conveyer Toasters AT Express	6
X*TREME Radiant Conveyer Toasters XTRM-1	7
X*TREME Radiant Conveyer Toasters XTRM-2	7
X*TREME Radiant Conveyer Toasters XTRM-3	8
M-95 Vertical Bun Grill Toasters M-95-2	9

CLASSIC INSULATED WARMERS

Classic Round Insulated Warmer RW-1V/2V	10
Classic Insulated Round Cookers/Servers RCW-7/11	10
X*PERT Series Insulated 12x20" Warmers W-3Vi	11
X*PERT Series Insulated 12x27" Warmers W-43V	11
X*PERT Series Insulated Cookers/Servers CW-1B/2Ai/3A	12
Fractional Countertop Warmers W-xx	12
Classic Insulated Warmer Accessories	13

CLASSIC DISPLAY WARMERS

Countertop Display Warmers PD-1A	14
Warming Shelves WS-2/3/4/5	14

X*PERT ROLLER GRILLS

Flat HotRod Roller Grills HR-xx, HRS-xx	15
Slanted HotRod Roller Grills HR-xxS, HRS-xxS	16
CE/Export Roller Grill Models	16
Digital Roller Grills HRSDI-xx, HRSDI-xxS	17
Sneeze Guards SG-xx	17
Roller Grill Accessories/Options	17

CONCESSION EQUIPMENT

X*PERT Series ThermoDrawers SPTU-30, SPTU-50	18
Bun Cabinets BC-20/31/50, BC-31D/50D	18
Bun Warmers BW-20/31/50, BWD-31/45/50/75	19
Refrigerated Topping Rails RTR-4, RTR-8	20
Countertop Cold Well CTCW	20
Drop-In Refrigerated Topping Rails RTR-4Di	20

OVERHEAD WARMERS

Calrod Overhead Warmers FD-xxH, FD-xxL	21 - 24
Lighted Calrod Overhead Warmers FDL-xxH, FDL-xxL	25 - 28
Overhead Warmer Options	29
Overhead Warmer Mounting Heights	29




HOT FOOD WELLS, DROP-IN

Rectangular Top Mount, Insulated HFW-1/2	30
Rectangular Top Mount, Insulated HFW-3/4/5	31
Rectangular Top Mount, Half-Size, Insulated HFW-12DS	35
Round Top Mount, Uninsulated SM-50-4/7/11	32
Rectangular Top Mount, Uninsulated TM-12/90/43	33
Rectangular Bottom Mount, Insulated BM-80/30	34
Hot Food Well Accessories	35

INFORMATION

MAP/M.R.I.C.P. Policy	36 - 37
Warranty Policy	38
International Warranty Policy	39 - 40



**Inquiries/
Customer Service**
(800) 527-2100

Technical Service
(800) 733-2203
techservice@partstown.com

Parts
partstown.com/apw-wyott/parts


APW Wyott
265 Hobson Street | Smithville, TN 37166
Main (800) 527-2100

ApwWyott.com

Workline APW Wyott's renown Workline series includes a full complement of food preparation and serving equipment designed to support commercial kitchens of any size.

Workline Series Gas Radiant Charbroilers
Heavy-Duty Steel Radiants for Optimal Heat Control

Gas Radiant Charbroilers feature heat dials that turn a full 180 degrees for ultimate control! Constructed of welded stainless and aluminized steel with heavy-duty stainless radiants. Easy clean-up. LP/NAT. Cannot ship UPS. If shipping via air freight, dimensional weights apply. Backed by APW's One Year Parts, One Year Labor Warranty. FOB APW Dock, freight class 70.



Workline Series Gas Radiant Charbroilers

Model	Part #	Description	BTU	No. Controls	Dimensions	Ship Weight (lbs)	Price
GCB-18S	3H-GCB-18S	Convertible	45,000	1	15-1/2"H x 18"W x 29"D	call factory	\$3,254
GCB-24S	3H-GCB-24S	Convertible	60,000	2	15-1/2"H x 24"W x 29"D	186	\$3,724
GCB-36S	3H-GCB-36S	Convertible	90,000	3	15-1/2"H x 36"W x 29"D	230	\$5,277
GCB-48S	3H-GCB-48S	Convertible	120,000	4	15-1/2"H x 48"W x 29"D	350	\$7,317
Ships FOB Smithville, TN							

Radiant Advantages:

- 1) Provides a more "even heat" pattern across grill surface
- 2) Easier to maintain and clean
- 3) Less "flare-ups"



Workline Series equipment stands listed on page 5

Workline Series Gas CharRock Charbroilers
CharRock Lava Stones for a Great Smoky Flavor

Gas CharRock Broilers feature heat dials that turn a full 180 degrees for ultimate control! All stainless and aluminized steel construction. Cast iron rock holder under grates. Each unit is shipped with a supply of lava rocks. LP/NAT. Cannot ship UPS. If shipping air freight, dimensional weights apply. Backed by APW's One Year Parts, One Year Labor Warranty. FOB APW Dock, freight class 70.



Workline Series Gas CharRock Charbroilers

Model	Part #	Description	BTU	No. Controls	Dimensions	Ship Weight (lbs)	Price
GCRB-24S	3H-GCRB-24S	Convertible	60,000	2	15 1/2"H x 24"W x 29"D	186	\$3,724
GCRB-36S	3H-GCRB-24S	Convertible	90,000	3	15 1/2"H x 36"W x 29"D	230	\$5,277
GCRB-48S	3H-GCRB-24S	Convertible	120,000	4	15 1/2"H x 48"W x 29"D	350	\$7,317
Ships FOB Smithville, TN							

CharRock Advantages:

- 1) CharRocks build "visual excitement" with more flames and smoke
- 2) Adds back flavor with sizzle of drippings from meats



Workline Series equipment stands listed on page 5

Workline Series Thermostatic Gas Griddles

Thermostatic Gas Griddles feature modulating thermostat, 3/4" griddle plate, commercial-grade welded stainless steel construction and 4" adjustable legs. Griddle plate is continuously welded to base. Field convertible gas regulators. If shipping via air freight, dimensional weights apply. Backed by APW's 1-Year Parts & Labor Warranty. FOB APW Dock, freight class 70.



Thermostatic Control Advantages:

- 1) Senses temperature on plate and regulates heat
- 2) Ideal for cooking a variety of products in different temperatures zones

Workline Series Thermostatic Gas Griddles

Model	Part #	Description	BTU	Dimensions	Weight (lbs)	Price
GGT-18S	3H-GGT-18S	Convertible	37,500	15 1/2"H x 18"W x 26 3/4"D	160	\$4,274
GGT-24S	3G-GGT-24S	Convertible	50,000	15 1/2"H x 24"W x 26 3/4"D	223	\$5,950
GGT-36S	3G-GGT-36S	Convertible	75,000	15 1/2"H x 36"W x 26 3/4"D	306	\$7,570
GGT-48S	3G-GGT-48S	Convertible	100,000	15 1/2"H x 48"W x 26 3/4"D	350	\$9,648
Ships FOB Smithville, TN						

Workline Series equipment stands listed on page 5

Workline Series Manual Gas Griddles

Manual Gas Griddles feature Gas Griddles feature modulating thermostat, 3/4" griddle plate, welded stainless steel construction and 4" adjustable legs. Griddle plate is continuously welded to base. Field convertible gas regulators. If shipping via air freight, dimensional weights apply. Backed by APW's 1-Year Parts & Labor Warranty. FOB APW Dock, freight class 70.



Manual Control Advantages:

- 1) Great for High Heat
- 2) Highest BTUs drive fast temperature recoveries under heavy loads
- 3) Needs "experienced cook" to manually control cooking zones

Workline Series Manual Gas Griddles

Model	Part #	Description	BTU	Dimensions	Weight (lbs)	Price
GGM-18S	3H-GGM-18S	Convertible	37,500	15 1/2"H x 18"W x 26 3/4"D	168	\$3,502
GGM-24S	3G-GGM-24S	Convertible	50,000	15 1/2"H x 24"W x 26 3/4"D	214	\$3,935
GGM-36S	3G-GGM-36S	Convertible	75,000	15 1/2"H x 36"W x 26 3/4"D	306	\$5,070
GGM-48S	3G-GGM-48S	Convertible	100,000	15 1/2"H x 48"W x 26 3/4"D	350	\$6,740
Ships FOB Smithville, TN						

Workline Series equipment stands listed on page 5

Workline Series Electric Griddles

Electric Griddles feature a 3/4" griddle plate, electronic snap action controls, welded stainless and aluminized steel construction and 4" adjustable legs. Griddle plate is continuously welded. Single phase is standard; field convertible to three phase. Available in 208/240V and 220V. Standard hardwire configuration does not include cord and plug. Cannot ship UPS. If shipping via air freight, dimensional weights apply. Backed by APW's 1-Year Parts & Labor Warranty. FOB APW Dock, freight class 70.



Workline Series Electric Griddles

Model	Part #	Electric	Dimensions	Weight (lbs)	Price
EG-24S	3G-EG-24S	208/240V, 6.75/9KW, 32.5/37.5 Amps	15 1/2"H x 24"W x 25"D	190	\$5,465
EG-36S	3G-EG-36S	208/240V, 10KW/13.5, 48.7/53.6 Amps	15 1/2"H x 36"W x 25"D	270	\$6,614
EG-48S	3G-EG-48S	208/240V, 13.5W/18, 65/75 Amps	15 1/2"H x 48"W x 25"D	383	\$9,518
Ships FOB Smithville, TN					

Workline Series equipment stands listed on page 5



EG-24S

Flat Gas Hot Plates

36% More BTU Power Than Competitive Models

Heavy-Duty Stainless Steel welded construction with cast iron grates. Cast Iron burners generate 22,000 BTU/hr each. Stainless Steel drip pan. Available in 2, 4, and 6 burner versions. Field convertible gas regulators. Backed by APW's One Year Parts, One Year Labor Warranty. FOB APW Dock, freight class 70.



Workline Series Flat Gas Hot Plates

Model	Part #	Description	BTU	Dimensions	Weight (lbs)	Price
GHP-2S	3I-GHP-2S	Convertible	22,000	13 5/8"H x 12"W x 32"D	63	\$2,667
GHP-4S	3I-GHP-4S	Convertible	44,000	13 5/8"H x 24"W x 32"D	129	\$4,060
GHP-6S	3I-GHP-6S	Convertible	66,000	13 5/8"H x 36"W x 32"D	188	\$5,670
Ships FOB Smithville, TN						

Workline Series equipment stands listed on page 5

Electric Hot Plates

Steel construction is an attractive presentation. Recessed controls prevent product or drippings from getting to controls. Indicating lights and 4" adjustable legs are standard. SEHPS Model features solid plate burners. Single phase standard. If shipping via air freight, dimensional weights apply. Backed by APW's One Year Parts, One Year Labor Warranty. FOB APW Dock, freight class 100.



Workline Series Electric Hot Plates

Model	Part #	Electric	Dimensions	Weight (lbs)	Price
SEHPS	3I-SEHPS	208V, 4000W, 23.1 Amps	14"H x 12"W x 24 3/4"D	45	\$2,812
Ships FOB Smithville, TN					

Workline Series equipment stands listed on page 5

Workline Series Stands

Medium-duty cooking stands constructed of stainless steel top shelf, aluminized bottom shelf and stainless steel legs. Each stand is equipped with 4" legs or 5" casters. L after the model number specifies legs and C specifies casters. If shipping via air freight, dimensional weights apply. Backed by APW's One Year Warranty. FOB APW Dock, freight class 70.

Workline Series Stands

Model	Part #	Dimensions	Weight (lbs)	Price
SSS-18L	221800	24 1/2"H x 18"W x 24"D w/Legs	33	\$1,377
SSS-18C	221801	24 1/2"H x 18"W x 24"D w/Casters	45	\$1,632
SSS-24L	222400	24 1/2"H x 24"W x 24"D w/Legs	42	\$1,580
SSS-24C	222401	24 1/2"H x 24"W x 24"D w/Casters	49	\$1,802
SSS-36L	223600	24 1/2"H x 36"W x 24"D w/Legs	51	\$1,973
SSS-36C	223601	24 1/2"H x 36"W x 24"D w/Casters	59	\$2,149
SSS-48L	224800	24 1/2"H x 48"W x 24"D w/Legs	63	\$2,164
SSS-48C	224801	24 1/2"H x 48"W x 24"D w/Casters	70	\$2,321
SSS-60L	226000	24 1/2"H x 60"W x 24"D w/Legs	74	\$2,762
SSS-60C	226001	24 1/2"H x 60"W x 24"D w/Casters	80	\$2,905
SSS-72L	227200	24 1/2"H x 72"W x 24"D w/Legs	86	\$2,922
SSS-72C	227201	24 1/2"H x 72"W x 24"D w/Casters	92	\$3,022
Ships FOB Smithville, TN				



Energy Saving, Radiant Conveyor & Bun Grill Contact Toasters

APW's eco-friendly, ECO-4000 Radiant Conveyor Toasters reduce energy consumption while saving money and delivering superior toasting capability. APW's Bun Grill toasters are made with removable side panels for easy service access. All APW Toasters are constructed of stainless steel with durable metal-sheathed heating elements, high-temperature insulation, wiring and bearings to guarantee dependability and durability.

ECO-4000 Energy Saving Toaster

The ECO-4000 was designed from the ground up to start fast, save electricity, produce perfect toast, and work well in the front or back of the house. It saves approximately 40% more energy than competitive products, with programmable electronic intelligence that gives "toast now" rapid response, adjustable cycling for any quantities or types of toasting products.

Bread, bagels, muffins, you name it – the ECO-4000 can toast it to perfection. Backed by APW's One Year Warranty. FOB APW Dock, freight class 100.



ECO-4000 Energy Saving Radiant Conveyor Toaster

Model	Part #	Controls	Electric	Dimensions	Weight (lbs)	Price
ECO4000 350E	21851470	Digital	120V, 1725W, 14.4 Amps	15 1/16"H X 14 13/16"W X 23 1/2"D	54	\$5,350
ECO4000 350L	21851490	Analog	120V, 1725W, 14.4 Amps	15 1/16"H X 14 13/16"W X 23 1/2"D	54	\$3,710
ECO4000 500E	21851400	Digital	208V, 2800W, 13.6 Amps	15 1/16"H X 14 13/16"W X 23 1/2"D	54	\$6,732
ECO4000 500E	21851401	Digital	240V, 2800W, 11.7 Amps	15 1/16"H X 14 13/16"W X 23 1/2"D	54	\$6,732
ECO4000 500L	21851480	Analog	208V, 2800W, 13.6 Amps	15 1/16"H X 14 13/16"W X 23 1/2"D	54	\$5,333
ECO4000 500L	21851402	Analog	240V, 2800W, 11.7 Amps	15 1/16"H X 14 13/16"W X 23 1/2"D	54	\$5,333
E = Digital; L = Analog			Ships FOB Smithville, TN			

AT Express Radiant Conveyor Toasters

The AT Express small footprint toaster is standard with front loading, variable speed control, superfeeder, and 11/2" high product opening. 10" wide conveyor belt. Produces over 300 slices per hour. If shipping via air freight, dimensional weights apply. Backed by APW's Two Year Warranty. FOB APW Dock, freight class 100.



AT Express Radiant Conyeyor Toasters

Model	Part #	Electric	Dimensions	Weight (lbs)	Price
AT EXPRESS 120v	93300000	120V, 1725W, 14.4 Amps, 60hz	13 9/32"H x 14 3/4"W x 18"D	35	\$2,940
AT EXPRESS 208v	93300001	208V, 1725W, 8.3 Amps, 60hz	13 9/32"H x 14 3/4"W x 18"D	35	\$2,940
AT EXPRESS 240v	93300002	240V, 1725W, 7.2 Amps, 60hz	13 9/32"H x 14 3/4"W x 18"D	35	\$2,940
Ships FOB Smithville, TN					

X*TREME® (XTRM-1) Radiant Conveyor Toasters

X*TREME®-1 Radiant Conveyor Toaster is standard with variable speed control, superfeeder, and 1-1/2" high product opening. 10" wide conveyor belt. Produces over 350 slices per hour. Power Saver Switch and lighted rocker switches. Special Cool to the Touch guards in the front and Cool to the Touch surfaces. If shipping via air freight, dimensional weights apply. Backed by APW's Two Year Warranty. FOB APW Dock, freight class 100.



X*TREME (XTRM-1) Radiant Conveyor Toasters

Model	Part #	Electric	Dimensions	Weight (lbs)	Price
XTRM-1 120v	93100170-BLACK	120V, 1725W, 14.4 Amps, 60hz	13 1/4"H x 15 3/6"W x 17 3/4"D	35	\$4,145
XTRM-1 208v	93100173-BLACK	208V, 1725W, 8.2 Amps, 60hz	13 1/4"H x 15 3/6"W x 17 3/4"D	35	\$4,145
XTRM-1 240v	93100171-BLACK	240V, 1725W, 7.2 Amps, 60hz	13 1/4"H x 15 3/6"W x 17 3/4"D	35	\$4,145
Export Model					
XTRM-1 230v	93100172-BLACK	230V, 1725W, 7.5 Amps, 50hz	13 1/4"H x 15 3/6"W x 17 3/4"D	35	\$4,145
Ships FOB Smithville, TN					

X*TREME® (XTRM-2) 10" Wide Radiant Conveyor Toasters

The XTRM-2 10" Wide Radiant Conveyor Toaster incorporates all of the advanced features of the leading toaster line and combines it with a stylized exterior. Produce toast in less than 30 seconds, for more than 800 slices of toast per hour! Variable speed controls combined with top and bottom heat controls give you "X-treme" versatility to handle all types of breads, muffins or bagels. Super feeder and power saver stand-by control are standard. Thermostatically controlled fan combined with high temperature insulation provide the maximum safety for your employees. Available in a 1 1/2" or 3" opening. Specify voltage. If shipping via air freight, dimensional weights apply. Backed by APW's Two Year Warranty. FOB APW Dock, freight class 100.



X*TREME (XTRM-2) Radiant Conveyor Toasters

Model	Part #	Electric	Dimensions	Weight (lbs)	Price
Standard Opening					
XTRM-2 208v	93302000	208V, 2840W, 13.7 Amps	14 3/4"H x 15 5/8"W x 23 21/64"D	50	\$5,035
XTRM-2 240v	93302040	240V, 2840W, 11.8 Amps	14 3/4"H x 15 5/8"W x 23 21/64"D	50	\$5,035
Standard Opening Export Model					
XTRM-2 230v	93302005-CE	230V, 2840W, 12.3 Amps	14 3/4"H x 15 5/8"W x 23 21/64"D	50	\$5,035
3" High Opening					
XTRM-2H 208v	93302300	208V, 2840W, 13.7 Amps	14 3/4"H x 15 5/8"W x 23 21/64"D	54	\$5,380
XTRM-2H 240v	93302340	240V, 2840W, 11.8 Amps	14 3/4"H x 15 5/8"W x 23 21/64"D	54	\$5,380
3" Opening Export Model					
XTRM-2H 230v	93302305-CE	230V, 2840W, 12.3 Amps	14 3/4"H x 15 5/8"W x 23 21/64"D	54	\$5,380
Optional Stacking Kit for XTRM-2 toasters					
Stacking Kit (XTREME 2 toaster)	93000207			5	\$880
Ships FOB Smithville, TN					

X*TREME® (XTRM-3) 13" Wide Radiant Conveyor Toasters

XTRM-3 Radiant Conveyor Toaster provides a 13" "X-treme" wide opening to allow 3-slices of toast to pass at one time, in less than 30 seconds, for more that 1000 slices of toast per hour! Variable speed controls combined with top and bottom heat controls give you "X-treme" versatility to handle all types of breads, bagels or muffins. Super feeder and power saver stand-by control are standard. Thermostatically controlled fan combined with high temperature insulation provide the maximum safety for your employees. Available in a 1 1/2" or 3" opening. Specify voltage. If shipping via air freight, dimensional weights apply. Backed by APW's Two Year Warranty. FOB APW Dock, freight class 100.



X*TREME (XTRM-3) Radiant Conveyor Toasters

Model	Part #	Electric	Dimensions	Weight (lbs)	Price
Standard Opening					
XTRM-3 208v	93303000	208V, 3340W, 16 Amps	14 3/4"H x 18 5/8"W x 23 21/64"D	56	\$6,220
XTRM-3 240v	93303040	240V, 3340W, 14 Amps	14 3/4"H x 18 5/8"W x 23 21/64"D	56	\$6,220
Standard Opening Export Model					
XTRM-3 230v	93303003-CE	230V, 3340W, 14 Amps	14 3/4"H x 18 5/8"W x 23 21/64"D	56	\$6,220
3" High Opening					
XTRM-3H 208v	93303300	208V, 3340W, 16 Amps	15 3/4"H x 18 5/8"W x 23 21/64"D	62	\$6,494
XTRM-3H 240v	93303340	240V, 3340W, 14 Amps	15 3/4"H x 18 5/8"W x 23 21/64"D	62	\$6,494
3" High Opening Export Model					
XTRM-3H 230v	93303303-CE	230V, 3340W, 14 Amps	15 3/4"H x 18 5/8"W x 23 21/64"D	62	\$6,494
Optional Stacking Kit for XTRM-3 toasters					
Stacking Kit (XTREME 3 toaster)	93200220			5	\$943
Ships FOB Smithville, TN					



M-95 Bun Grill Toasters

M-95 bun grill toasters are available in two standard models with built-in extended grill. Optional gear speeds allow grilling 1000 bun-halves per hour. For M-95-3, Specify slow (45 seconds) or fast gear (22 seconds) when ordering (standard gear for M-95-3 is 35 seconds). Internal cooling fan keeps components cool for longer life. For dry toasting applications, PTFE sheet must be used. Super feeder included. Cannot ship UPS. If shipping via air freight, dimensional weights apply. Backed by APW's One Year Warranty. FOB APW Dock, freight class 100.



M-95 Vertical Bun Grill Toasters

Model	Part #	Electric	Dimensions	Weight (lbs)	Price
M-95-2 (45 and 85 gear only)	M952AB001	120V, 1800, 15.0 Amps	28 15/16"H x 21 5/8"W x 16 5/16"D	97	\$6,698
M-95-3 (45, 55 and 85 gear only)	M953AB001	120V, 1800, 15.0 Amps	30 1/2"H x 24 1/2"W x 17 1/2"D	105	\$7,305
M-95-2 (35 second gear only)	M952CC-CHI	208V, 2780W, 13.4 Amps	28 15/16"H x 21 5/8"W x 16 5/16"D	97	\$6,698
M-95-2 (55 second gear only)	M952CD-9C	208V, 2780W, 13.4 Amps	28 15/16"H x 21 5/8"W x 16 5/16"D	97	\$6,698
M-95-2 (35 second gear only)	M952ED-9C	240V, 2780W, 11.6 Amps	28 15/16"H x 21 5/8"W x 16 5/16"D	97	\$6,698
M-95-3 (35 second gear only)	M953CC001	208V, 2780W, 13.4 Amps	30 1/2"H x 24 1/2"W x 17 1/2"D	105	\$7,305
M-95-3 (35 second gear only)	M953EC001	240V, 2780W, 11.6 Amps	30 1/2"H x 24 1/2"W x 17 1/2"D	105	\$7,305
Export Model					
M-95-2 Low Profile (55 sec. gear only)	M952FC-EUR-CE	230V, 50Hz,2550W, 11.1 Amps	28 15/16"H x 21 5/8"W x 16 5/16"D	97	\$7,478
M-95-3FC-CE (35 sec. gear only)	M953FC-EUR-CE	230V, 50Hz,2550W, 11.1 Amps	30 1/2"H x 24 1/2"W x 17 1/2"D	105	\$7,643
Options for M-95 toasters					
Description		Part #	Weight (lbs)	Price	
M-95-2 Bun slide	Collects buns (for M-95-2)	83997	12	\$640	
M-95-2 PTFc Sheet Kit	for wet or dry operation. 10-sheets per kit. 11 3/4" x 35"	84177	4	\$844	
M-95-3 Bun slide	Collects buns (for M-95-3)	83994	12	\$640	
M-95-3 PTFc Sheet Kit	for wet or dry operation. 10-sheets per kit. 15" x 35"	84176	4	\$844	
55 Second Gear Kit		PS0007	4	\$397	
Ships FOB Smithville, TN					



Classic Insulated Warmers

APW's insulated Warmer Series includes a line of attractive and energy-efficient display warmers as well as back-of-the-house cooker warmers for soups, sauces and chilis. All of our classic insulated warmers are designed and constructed for ease of use and durable, long-lasting service. Insulated warmers include a one year free replacement warranty.

Classic Insulated Round Warmers

Energy Efficient design that keeps hot food at the perfect serving temperature. Designed to run with water. Available in 7 quart and 11 quart versions. Made of stainless steel in the exterior and interior. Fully insulated to protect interior controls. SP designates soup package that includes inset, hinged cover and ladle. If shipping via air freight, dimensional weights apply. FOB APW Dock, freight class 100.



RW-1V
with optional
inset, hinged lid



RW-2V
with
optional
inset

Classic Round Insulated Warmers

Model	Part #	Description	Electric	Dimensions	Weight (lbs)	Price
RW-1V	54810	7 qt. insulated round warmer	120V, 500W, 4.2 Amps	8 1/4"H x 10 1/2"D	11	\$702
RW-1V-SP	54810-SP	7 qt. insulated round warmer (w/ inset, ladle, lid)	120V, 500W, 4.2 Amps	8 1/4"H x 10 1/2"D	11	\$920
RW-2V	54811	11 qt. insulated round warmer	120V, 700W, 5.8 Amps	8 1/4"H x 12 1/2"D	13	\$748
RW-2V-SP	54811-SP	11 qt. insulated round warmer (w/ inset, ladle, lid)	120V, 700W, 5.8 Amps	8 1/4"H x 12 1/2"D	14	\$1,025
Ships FOB Smithville, TN						

Classic Countertop Insulated Round Cookers/Servers

High performance, fast recovery design that is perfect for re-thermalizing refrigerated soup, stews, chili or other food products served out of a round inset. Thermostatically controlled heat system provides fast heat up and recovery. Exterior and interior constructed of stainless steel. If shipping via air freight, dimensional weights apply. FOB APW Dock, freight class 100.



RCW-11
with optional
inset, hinged lid



Classic Insulated Round Cookers/Servers

Model	Part #	Description	Electric	Dimensions	Weight (lbs)	Price
RCW-7	RCW71001	7 qt. insulated round cooker/server	120V, 1000W, 8.3 Amps	10"H x 10 1/2"D	10	\$869
RCW-7SP	RCW71-SP	7 qt. insulated round cooker/server (w/ inset, ladle, lid)	120V, 1000W, 8.3 Amps	10"H x 10 1/2"D	11	\$1,188
RCW-11	RCW111001	11 qt. insulated round cooker/server	120V, 1200W, 10.0 Amps	10"H x 12 1/2"D	12	\$968
RCW-11SP	RCW111-SP	11 qt. insulated round cooker/server (w/ inset, ladle, lid)	120V, 1200W, 10.0 Amps	10"H x 12 1/2"D	13	\$1,325
Ships FOB Smithville, TN						

X*PERT™ Series Classic Insulated 12”x 20” Warmers

Energy efficient design that keeps hot food at the perfect serving temperature. Made of heavy-duty stainless steel. Designed to run with water. Unique heat system evenly distributes heat. Insulated to protect interior parts and countertops from heat build up. Steel element support stabilizes heating element and reflects heat toward food. Infinite temperature control. Domestic models feature “Enhanced Warranty” service. If shipping via air freight, dimensional weights apply. Backed by APW’s One Year Warranty. FOB APW Dock, freight class 100.



X*PERT Series Classic Insulated 12x20” Warmers

Model	Part #	Description	Electric	Dimensions	Weight (lbs)	Price
W-3Vi	21874000	22 qt.	120V, 1200W, 10 Amps	9 3/4”H x 14”W x 22”D	21	\$899
W-3Vi	21874100	22 qt.	208/240/277V, 900/1200/1600W	9 3/4”H x 14”W x 22”D	21	\$899
W-3Vi Export Models (UL Sanitation Only)						
W-3Vi-CE	21874600	22 qt.	230V, 1100W, 4.8 Amps	9 3/4”H x 14”W x 22”D	21	\$940
Ships FOB Smithville, TN						

Classic Insulated 12”x 27” Warmers

Provides over 35% more serving space for the same amount of counter-front. Fits four 1/3 size pans. Heats all foods evenly. Included in the “Enhanced Warranty” service. If shipping via air freight, dimensional weights apply. Backed by APW’s One Year Warranty. FOB APW Dock, freight class 100.



Model	Part #	Description	Electric	Dimensions	Weight (lbs)	Price
W-43V	57599	28 1/2 qt.	120V, 1500W, 12.5A	9 1/8”H x 14 11/16”W x 29 5/8”D	30	\$1,178
W-43V	57598	28 1/2 qt.	208/240V, 1200/1600W	9 1/8”H x 14 11/16”W x 29 5/8”D	30	\$1,178
W-43V Export Models (UL Sanitation Only)						
W-43V-CE	57599-EUR-CE	28 1/2 qt.	230V, 1375W, 6A	9 1/8”H x 14 11/16”W x 29 5/8”D	30	\$1,230
W-43V-CE	Contact CS	28 1/2 qt.	240V, 1500W, 6.25A	9 1/8”H x 14 11/16”W x 29 5/8”D	30	\$1,230
Ships FOB Smithville, TN						

X*PERT™ Series Classic Insulated Cookers/Servers

High performance, fast recovery perfect for re-thermalizing refrigerated pre-cooked products, defrosting frozen soups or cooking simple foods. Use with a variety of pan sizes or adapter plates for round insets. Units feature high wattage elements and thermostatic controls. Knob guards are standard. If shipping via air freight, dimensional weights apply. Backed by APW's One Year Warranty. FOB APW Dock, freight class 100.



X*PERT Series Classic Insulated Cookers/Servers

Model	Part Number	Description	Electric	Dimensions	Weight (lbs)	Price
CW-1B 120V	55740	11 qt., round	120V, 800W, 6.7 Amps	10 5/8"H x 12 1/2"W x 12 1/2"D	16	\$1,069
CW-2Ai 120V	21873000	22 qt., full size	120V, 1500W, 12.5 Amps	9 3/4"H x 14"W x 22"D	29	\$1,575
CW-2Ai 208/240V	21873600	22 qt., full size	208/240V, 1200/1600W. 6.7 Amps	9 3/4"H x 14"W x 22"D	29	\$1,575
CW-3A 230V	57551	28 1/2 qt., 4/3 size	120V, 1800W, 15 Amps (not CSA)	10 1/8"H x 14 11/16"W x 29 5/8"D	30	\$1,863
Export Models (UL Sanitation only)						
CW-1B 230V	55770	11 qt., round	230V, 800W, 3.3 Amps	10 5/8"H x 12 1/2"W x 12 1/2"D	16	\$1,069
CW-2Ai 230V	21873400	22 qt., full size	230V, 1600W, 6.7 Amps	9 3/4"H x 14"W x 22"D	29	\$1,575
CW-3A 230V	57554	28 1/2 qt., 4/3 size	230V, 1375W, 6 Amps (not CSA)	10 1/8"H x 14 11/16"W x 29 5/8"D	30	\$1,863

Fractional Countertop Warmers

Energy Efficient Designs that fit into restricted countertop areas. Warmers are excellent for holding warm sauces near kitchen preparation or by self serve operations. W-4B is not CSA approved. If shipping via air freight, dimensional weights apply. Backed by APW's One Year Warranty. FOB APW Dock, freight class 100.



*pumps and covers not available.



Fractional Countertop Warmers

Model	Part #	Description	Electric	Dimensions	Weight (lbs)	Price
W-4B	56607	4 qt.	120V, 400W, 3.3 Amps	8 5/8"H x 9 1/2"W x 9 1/2"D	9	\$923
W-4B Package (ULSAN)	56622	Unlighted	120V, 396W, 3.3 Amps	10 3/4"H x 9 1/2"W x 9 1/2"D	11	\$1,083
W-9	56914	7 qt., 1/3 size	120V, 400W, 3.3 Amps	10 1/4"H x 14 1/4"W x 8 1/2"D	18	\$1,909
W-12	56911	11 qt., 1/2 size	120V, 800W, 6.7 Amps	10 1/4"H x 14 1/4"W x 12"D	20	\$1,640
W-6	56922	15 qt., 2/3 size	120V, 800W, 6.7 Amps	10 1/4"H x 14 1/4"W x 15 1/4"D	25	\$1,782
W-6	56968	15 qt., 2/3 size	240V, 800W, 3.4 Amps	10 1/4"H x 14 1/4"W x 15 1/4"D	25	\$1,782
Options (for W-4B)						
Decal, Hot Cheesy Nachos	21765700	(Use with W-4B) Decal, Hot Cheesy Nachos				\$97
Decal, Hot Buttery Popcorn	21765900	(Use with W-4B) Decal, Hot Buttery Popcorn				\$97
Decal, Hot Fudge	21766100	(Use with W-4B) Decal, Hot Fudge				\$97
Decal, Hot Dog Chili Topping	21765800	(Use with W-4B) Decal, Hot Dog Chili Topping (paste style only)				\$97
Ships FOB Smithville, TN						

Classic Insulated Warmer Accessories



Customize your operation with adapter plates with a variety of configurations. 12 x 20 adapter plates fit over the top edges of countertop warmers to protect against food dripping into well area. If shipping via air freight, dimensional weights apply. FOB APW Dock, freight class 85.



Classic Insulated Warmer Accessories


Description	Part #	Case	Weight (lbs)	Price
Adapter Plates To Convert 12" X 20" Countertop Warmer Openings				
One 7 qt and One 11 qt	14880	1	4	\$319
Two 7 qt	14883	1	4	\$319
Three 4 qt	14886	1	4	\$319
Four 2 1/2 qt insets	14890	1	4	\$319
Four 2 1/2 qt holes for W3Vi & CW-2Ai	14891	1	4	\$319
Adapter Plates To Convert 12" X 27" Countertop Warmer Openings				
Two 11 qt	56639	1	4	\$319
Three 7 qt	56638	1	4	\$319
Four 4 qt	56640	1	4	\$319
Converts CW1-B To Accept 7 Qt. & 4 Qt. Insets				
8 1/2" hole, accepts 7 qt inset	55707	1	2	\$198
6 1/2" hole, accepts 4 qt inset	55704	1	2	\$198
4 qt inset	21365	1	2	\$329
4 qt slotted hinge cover with Clips	56847	1	1	\$208
7 Quart Warmers/Cookers				
Inset for 7 qt warmers	21385	1	2	\$329
Hinged cover with clips for 7 qt warmers	23780	1	2	\$198
11 Quart Warmers/Cookers				
Inset for 11 qt warmers	21395	1	2	\$288
Hinged cover with clips for 11 qt warmers	23790	1	2	\$244
Ladles				
4 oz ladle	57387	1	1	\$65
1 oz ladle	56834	1	1	\$63

55707



55704

14883



23790



56834

Ships FOB Smithville, TN

Classic Countertop Display Warmer

APW's Classic Warmers are designed to provide energy-efficient warming solutions, extending the safe-temperature holding life of multi-batch food items including fries, rings, pizzas, fried pies and any other warm serve items. All classic warmers are designed and constructed for ease of use and durable, long-lasting service.

Classic Countertop Display Warmers

Attractively styled, these Warmers are designed to keep food warm before serving.

PD-1A models come with cord and plug. PD-1A comes without lights and model PD-1A is not cUL Listed.

Warmer shown with pan (not included). If shipping via air freight, dimensional weights apply. Backed by APW's One Year Warranty. FOB APW Dock, freight class 100.



*Pan not included

Classic Countertop Display Warmers

Model	Description	Part #	Electric	Dimensions	Weight (lbs)	Price
PD-1A 120V	Free-standing w/base	75452	120V, 575W, 4.8 Amps	17"H x 13 1/4"W x 23 3/4"D	16	\$1,107
PD-1A 240V	Free-standing w/base	75500	240V, 575W, 2.3 Amps	17"H x 13 1/4"W x 23 3/4"D	16	\$1,107
Export Models						
PD-1A 230V	Free-standing w/base	75500-EUR-CE	230V, 575W, 2.3 Amps	17"H x 13 1/4"W x 23 3/4"D	16	\$1,107

Classic Warming Shelves

Four different WS sizes available to match your space requirements.

All stainless steel with infinite control. Six-foot cord and plug included.

If shipping via air freight, dimensional weights apply. Backed by APW's One Year Warranty. FOB APW Dock, freight class 100.



Classic Warming Shelves

Model	Part #	Description	Electric	Dimensions	Weight (lbs)	Price
WS-2	21670524	24" surface	120V, 200W, 1.7 Amps	2 3/8"H x 18"W x 24"L	27	\$2,062
WS-3	21670536	36" surface	120V, 300W, 2.5 Amps	2 3/8"H x 18"W x 36"L	38	\$2,275
WS-4	21670548	48" surface	120V, 400W, 3.3 Amps	2 3/8"H x 18"W x 48"L	49	\$2,645
WS-5	21670560	60" surface	120V, 500W, 4.2 Amps	2 3/8"H x 18"W x 60"L	56	\$3,045



Ships FOB Smithville, TN

X*PERT[™] Series Roller Grills

As a premier manufacturer of roller grill systems, APW Wyott provides a wide range of grills well suited to almost any merchandising requirement. Our attractive Roller Grills feature easy-to-use electrical controls, convenient integrated holding drawers and a number of additional features that enable retailers to create the ideal solution for their specific roller grill need.

X*PERT[™] Series Flat HotRod[®] Roller Grills

The Hotrod[®] Roller Grills are available with chrome or “Tru-Turn” non-stick rollers. Fully adjustable infinite controls and Polytetrafluoroethylene grease seals to keep mechanism clean. Note: 7/16” space between rollers. If shipping via air freight, dimensional weights apply. Backed by APW’s One Year Warranty. FOB APW Dock, freight class 70.




HR-30



X*PERT Series Flat HotRod Roller Grills

Model	Part #	Electric	Dimensions	Weight (lbs)	Price
Flat Chrome Surface Rollers					
HR-20	21836025	120V, 750W, 6.3 Amps	9 1/8”H x 17 1/4”W x 18 5/8”D	35	\$3,957
HR-31	21834230	120V, 975W, 8.1 Amps	9 1/8”H x 23 3/4”W x 18 5/8”D	42	\$4,638
HR-31	21834330	208-240V, 1160-1550W, 5.6-6.5 Amps	9 1/8”H x 23 3/4”W x 18 5/8”D	42	\$4,638
HR-45	21831745	120V, 1450W, 12.1 Amps	9 1/8”H x 23 3/4”W x 29 9/16”D	46	\$5,444
HR-50	21836055	120V, 1400W, 11.7 Amps	9 1/8”H x 34 3/4”W x 18 5/8”D	55	\$5,085
HR-50	21836255	208-240V, 1260-1670W, 6.1-7 Amps	9 1/8”H x 34 3/4”W x 18 5/8”D	55	\$5,085
HR-75 **	21831875	120V, 1000W, 8.3 Amps	9 1/8”H x 34 3/4”W x 29 9/16”D	87	\$7,139
HR-75	21831775	208-240V, 1800-2400W, 8.7-10 Amps	9 1/8”H x 34 3/4”W x 29 9/16”D	110	\$7,139
HR-85	21838885	208-240V, 2000-2700W, 9.6-11.3 Amps	9 1/8”H x 34 3/4”W x 29 9/16”D	110	\$7,290
Tru-Turn Surface Rollers					
HRS-20	21833320	120V, 750W, 6.3 Amps	9 1/8”H x 17 1/4”W x 18 5/8”D	35	\$4,137
HRS-31	21834231	120V, 975W, 8.1 Amps	9 1/8”H x 23 3/4”W x 18 5/8”D	42	\$4,762
HRS-31	21834331	208-240V, 1160-1550W, 5.6-6.5 Amps	9 1/8”H x 23 3/4”W x 18 5/8”D	42	\$4,762
HRS-45	21831645	120V, 1450W, 12.1 Amps	9 1/8”H x 23 3/4”W x 29 9/16”D	46	\$6,298
HRS-50	21833350	120V, 1400W, 11.7 Amps	9 1/8”H x 34 3/4”W x 18 5/8”D	55	\$5,245
HRS-50	21833450	208-240V, 1260-1670W, 6.1-7 Amps	9 1/8”H x 34 3/4”W x 18 5/8”D	55	\$5,245
HRS-75 **	21833375	120V, 1000W, 8.3 Amps	9 1/8”H x 34 3/4”W x 29 9/16”D	87	\$8,217
HRS-75	21831675	208-240V, 1800-2400W, 8.7-10 Amps	9 1/8”H x 34 3/4”W x 29 9/16”D	110	\$8,217
HRS-85	21833485	208-240V, 2000-2700W, 9.6-11.3 Amps	9 1/8”H x 34 3/4”W x 29 9/16”D	110	\$10,617

**Not CUL Approved (2 power cords), 60hz, 1phase



HRS-75

X*PERT™ Series Slanted HotRod® Roller Grills

Great Merchandising grill that builds product appetite appeal by facing products toward the customer. The Slanted Hotrod® Roller Grills come in chrome or “TRU-turn” non-stick rollers. If shipping via air freight, dimensional weights apply. Backed by APW’s One Year Warranty. FOB APW Dock, freight class 70.




X*PERT Series Slanted HotRod Roller Grills

Model	Part #	Electric	Dimensions	Weight (lbs)	Price
Flat Chrome Surface Rollers					
HR-20S	21831820	120V, 690W, 5.8 Amps	11 3/4”H x 17 1/4”W x 18 5/8”D	35	\$3,993
HR-31S	21831830	120V, 890W, 7.4 Amps	11 3/4”H x 23 3/4”W x 18 5/8”D	42	\$4,460
HR-31S	21832430	208-240V, 1065-1420W, 5.1-5.9 Amps	11 3/4”H x 23 3/4”W x 18 5/8”D	42	\$4,460
HR-50S	21831850	120V, 1300W, 10.8 Amps	11 3/4”H x 34 3/4”W x 18 5/8”D	55	\$4,889
HR-50S	21832450	208-240V, 1150-1500W, 6.2-7 Amps	11 3/4”H x 34 3/4”W x 18 5/8”D	55	\$4,889
Tru-Turn Surface Rollers					
HRS-20S	21831920	120V, 690W, 5.8 Amps	11 3/4”H x 17 1/4”W x 18 5/8”D	35	\$4,137
HRS-31S	21831930	120V, 890W, 7.4 Amps	11 3/4”H x 23 3/4”W x 18 5/8”D	42	\$4,439
HRS-31S	21832530	208-240V, 1065-1420W, 5.1-5.9 Amps	11 3/4”H x 23 3/4”W x 18 5/8”D	42	\$4,439
HRS-50S	21831950	120V, 1300W, 10.8 Amps	11 3/4”H x 34 3/4”W x 18 5/8”D	55	\$5,245
HRS-50S	21832550	208-240V, 1150-1500W, 6.2-7 Amps	11 3/4”H x 34 3/4”W x 18 5/8”D	55	\$5,245

CE and Export Models

The same detail-oriented design and craftsmanship that go into our domestic roller grills can be found in our export models as well. The CE and Export Roller Grills are available with either chrome or “TRU-turn” non-stick rollers. Simple to use controls and easy-clean surfaces make these roller grills ideal for merchandising and self-serve applications. Backed by APW’s One Year Warranty. FOB APW Dock, freight class 70.



X*PERT Series CE and Export HotRod Roller Grill Models

Model	Part #	Electric	Dimensions	Weight (lbs)	Price
Flat Chrome Surface Rollers					
HR-31 (export)	21833631	230V,990W, 4.5 Amps	8 1/2”H x 23 3/4”W x 18 5/8”D	42	\$4,638
HR-50 (export)	21836255	208/240V,1260/1665W, 6.2/7.0 Amps	8 1/2”H x 34 3/4”W x 18 5/8”D	55	\$5,085
HR-75 (export)	21835375	230V,1665W, 50 Hz	8 1/2”H x 34 3/4”W x 29 9/16”D	110	\$7,663
Slanted Chrome Surface Rollers					
HR-31S (export)	21832430	208/240V, 905W, 4 Amps	11 3/4”H x 23 3/4”W x 18 5/8”D	42	\$4,638
HR-50S (export)	21832450	208/240V, 1260/1665W, 6.2/7.0 Amps	11 3/4”H x 34 3/4”W x 18 5/8”D	55	\$5,085
Flat Tru-Turn Surface Rollers					
HRS-31 (export)	21837331	230V, 895W, 4.3 Amps	8 1/2”H x 23 3/4”W x 18 5/8”D	42	\$4,954
HRS-50 (export)	21837350	230V,1260W, 6.2 Amps	8 1/2”H x 34 3/4”W x 18 5/8”D	55	\$5,855
HRS-75 (export)	21831680	208V,1260W, 10.2 Amps	8 1/2”H x 34 3/4”W x 29 9/16”D	110	\$7,663
Slanted Tru-Turn Surface Rollers					
HRS-31S (export)	21832530	208/240V, 895/1152W, 4.3/4.8 Amps	11 3/4”H x 23 3/4”W x 18 5/8”D	42	\$4,954
HRS-50S (export)	21832550	208/240V, 1260/1665W, 6.2/7.0 Amps	11 3/4”H x 34 3/4”W x 18 5/8”D	55	\$5,855

X*PERT™ Series Digital HotRod® Roller Grills

The X*PERT™ Series Digital HotRod Roller Grills come with “Tru-Turn” non-stick rollers. The digital roller grill utilizes the latest control technology to improve performance. It will improve your overall operations by minimizing waste and reducing labor all while adhering to HACCP food safety standards. If shipping via air freight, dimensional weights apply. Backed by APW’s One Year Warranty. FOB APW Dock, freight class 70.



HRSDi-50

X*PERT Series Digital Roller Grills

Model	Part #	Electric	Dimensions	Weight (lbs)	Price
Flat Tru-Turn Surface Rollers					
HRSDI-31	21877030	120V, 975W, 8.1 Amps - Digital controls	8 1/2”H x 23 3/4”W x 18 5/8”D	44	\$5,764
HRSDI-31	21877032	208-240V, 1160-1550W, 5.6-6.5 Amps - Digital controls	8 1/2”H x 23 3/4”W x 18 5/8”D	44	\$5,764
HRSDI-50	21877050	120V, 1400W, 11.7 Amps - Digital controls	8 1/2”H x 34 3/4”W x 18 5/8”D	55	\$6,082
HRSDI-50	21877052	208-240V, 1260-1670W, 6.1-7 Amps - Digital controls	8 1/2”H x 34 3/4”W x 18 5/8”D	55	\$6,082
Slanted Tru-Turn Surface Rollers					
HRSDI-31S	21877130	120V, 975W, 8.1 Amps - Digital controls	11 3/4”Hx23 3/4”Wx18 5/8”D	44	\$5,764
HRSDI-31S	21877132	208-240V, 1160-1550W, 5.6-6.5 Amps - Digital controls	11 3/4”Hx23 3/4”Wx18 5/8”D	44	\$5,764
HRSDI-50S	21877150	120V, 1400W, 11.7 Amps - Digital controls	11 3/4”Hx34 3/4”Wx18 5/8”D	55	\$6,022
HRSDI-50S	21877152	208-240V, 1260-1670W, 6.1-7 Amps - Digital controls	11 3/4”Hx34 3/4”Wx18 5/8”D	55	\$6,022

Sneeze Guards Molded self-serve Sneeze Guards provide food safety while maintaining clear visibility to the hot dogs, building appetite appeal with customers. Sneeze guards also maintain heat within roller area. Options include single door access or dual door versions. If shipping via air freight, dimensional weights apply. FOB APW Dock, freight class 125.



SG-31



SG-50XP

Sneeze Guards

Model	Part #	Dimensions	Weight (lbs)	Price
Single Door Sneeze Guards				
SG-20	21751020	9”H x 18 7/8”W x 19 1/2”D	5	\$892
SG-31	21771530	9”H x 24 1/4”W x 19 1/2”D	6	\$1,020
SG-50	21751050	9”H x 35 1/2”W x 19 1/2”D	9	\$1,320
SG-75/85	21743785	9”H x 35 1/2”W x 30 21/32”D	15	\$2,779
SG-75W	21809770	One Door	15	\$1,984
Dual Door Sneeze Guards				
SG-45DD	21771550	9”H x 24 1/2”W x 30 21/32”D	10	\$2,435
Pass Through Canopy Style with Metal Frame				
SG-31XP	21772931	8”H x 26 1/2”W x 19 13/64”D	10	\$1,168
SG-50XP	30060080	8”H x 37 1/2”W x 19 13/64”D	13	\$1,452
SG-75/85XP	30059900	8”H x 37 1/2”W x 30 1/2”D	17	\$1,774
Pass Through Canopy Style with Metal Frame and En-				
SG-31XPC	21773931	8”H x 26 1/2”W x 19 13/64”D	12	\$1,490
SG-50XPC	21773950	8”H x 37 1/2”W x 19 13/64”D	12	\$1,880
SG-75XPC	21773995	8”H x 37 1/2”W x 30 1/2”D	20	\$2,328
Replacement Doors				
SG-20	21805420	Replacement Door for SG-20	1	\$198
SG-31	21805430	Replacement Door for SG-31	1	\$198
SG-50	21805450	Replacement Door for SG-50	1	\$198

Accessories/Options Expand the merchandising capabilities of Hotrod® roller grills with certified APW accessories and options.

Roller Grill Accessories/Options

Description	Part #	Price
4” Metal Leg Kit	4939100	\$352
6” Plastic Tongs	3029200	\$63
9” Plastic Tongs and Tong Holder	21792800	\$183
Front Cover and Decal for Control (HR-31/HR-31)	21783930	\$340
Front Cover and Decal for Control (HR-50/HR-50)	21783950	\$282
HR-20 Kit Divider	21794060	\$310
HR-20 Slant Kit Divider	21794061	\$535
HR-31 Kit Divider	21794062	\$297
HR-31 Slant Kit Divider	21794063	\$297
HR-45 Kit Divider	21794064	\$442
HR-50 Kit Divider	21794065	\$508
HR-50 Slant Kit Divider	21794066	\$508
HR-75/85 Kit Divider	21794067	\$490

Concession Equipment

Whether keeping grilled foods warm, buns fresh and moist or condiments cool, APW Wyott's comprehensive line of concession equipment is designed for safe food handling, simplicity of use and durable, long-lasting performance. Easy-to-clean stainless steel surfaces, simple, intuitive controls and attention-grabbing merchandising graphics make these products ideal for any retail operation.

X*PERT™ Series SPTU Thermo-Drawer

SPTU Thermo-Drawer features easy to use controls, large deep drawer and slim design. Drawer removes easily for cleaning. Patent pending innovative heating system holds product for up to 6 hours. X*PERT™ Series Thermo-drawer is the perfect complement to your roller grill. It will improve customer satisfaction with hot, fresh, quality food in a timely fashion. It will improve your overall operations by minimizing waste and reducing labor all while adhering to HACCP food safety standards. Backed by APW's One Year Warranty. FOB APW Dock, freight class 100.



X*PERT Series (SPTU) ThermoDrawers

Model	Part #	Electric	Dimensions	Weight (lbs)	Price
SPTU-30	25000130	120V, 4.125 Amps	4 3/4"H x 23 3/4"W x 19 1/4"D	55	\$3,244
SPTU-30	25000131	208/240V, 2.1/2.4 Amps	4 3/4"H x 23 3/4"W x 19 1/4"D	55	\$3,244
SPTU-30N	25000030	120V, 3 Amps	4 3/4"H x 19 1/4"W x 19 1/4"D	55	\$3,378
SPTU-30N	25000031	208/240V, 1.6/1.8 Amps	4 3/4"H x 19 1/4"W x 19 1/4"D	55	\$3,378
SPTU-50	25000150	120V, 5.8 Amps	4 3/4"H x 34 3/4"W x 19 1/4"D	80	\$3,726
SPTU-50	25000151	208/240V, 3/3.5 Amps	4 3/4"H x 34 3/4"W x 19 1/4"D	80	\$3,726
SPTU-50N	25000067	120V, 5.8 Amps	4 3/4"H x 30 1/4"W x 19 1/4"D	80	\$3,847
SPTU-50N	25000051	208/240V, 3/3.5 Amps	4 3/4"H x 30 1/4"W x 19 1/4"D	80	\$3,847
Options					
Divider kit for SPTU-30	25000109	Divider Kit (SPTU-30)			\$588
Divider kit for SPTU-50	25000110	Divider Kit (SPTU-50)			\$1,013

Bun Cabinets

Bun Cabinets conveniently hold unheated buns under the roller grill in easy reach of customers or clerk. The standard cabinet features stainless steel body with clear lift-up Plexiglass doors, for product visibility and easy accessibility. Drawer model is a full stainless steel unit with sliding door. If shipping via air freight, dimensional weights apply. Backed by APW's One Year Warranty. FOB APW Dock, freight class 85.



Bun Cabinets

Model	Part #	Description	Dimensions	Weight (lbs)	Price
BC-20	21751500	50 bun capacity	6 3/8"H x 17 3/16"W x 18 5/8"D	16	\$874
BC-31	21773800	100 bun capacity	6 3/8"H x 23 11/16"W x 18 5/8"D	22	\$942
BC-50	21749800	144 bun capacity	6 3/8"H x 34 11/16"W x 18 5/8"D	29	\$1,113
Bun Cabinet with Drawer					
BC-31D	21773700	100 bun capacity	6 3/8"H x 22 11/16"W x 18 5/8"D	26	\$1,504
BC-50D	21750850	144 bun capacity	6 3/8"H x 34 11/16"W x 18 5/8"D	40	\$1,938

Bun Warmers

The Bun Warmers provide gentle warmth keeping buns at an ideal temperature and texture for the perfect hot dog. The BW-20, BW-31, BW-50 are drawer-type bun warmers. Drawer type versions have a stainless steel bun pan that has sliding lid and infinite temperature control for optimal warmth. If shipping via air freight, dimensional weights apply. Backed by APW's One Year Warranty. FOB APW Dock, freight class 100.



Bun Warmers

Model	Part #	Description	Electric	Dimensions	Weight (lbs)	Price
BW-20	21741020	36 bun cap.	120V, 500W, 4.2 Amps	10 5/8"H x 17 3/4"W x 22 1/8"D	49	\$3,057
BW-31	21772800	72 bun cap.	120V, 400W, 3.3 Amps	10 5/8"H x 23 3/4"W x 22 1/8"D	60	\$3,672
BW-50	21775250	100 bun cap.	120V, 600W, 5 Amps	10 5/8"H x 34 3/4"W x 22 1/8"D	86	\$4,477
CE + Export Models						
BW-31 220V	21741104	72 bun cap.	220V, 400W, 1.8 Amps	10 5/8"H x 23 3/4"W x 22 1/8"D	60	\$4,298
BW-50 220V	21741250	100 bun cap.	220V, 600W, 2.7 Amps	10 5/8"H x 34 3/4"W x 22 1/8"D	86	\$5,243

Bun Warmers, Dry

The Bun Warmer Dry (Heated) is designed to complement our best selling roller grills and provide gentle warmth for buns, keeping them an ideal temperature and texture for the perfect hot dog. Available in a variety of sizes to fit your counter space: BWD-31 and BWD-50 (Use with HR(S)-31(S)- 50(S) Roller Grills); BWD-45 and BWD-75 with spacer (Use with HR(S)-45(S)-75(S) Roller Grills); BWD-75N (Use to fit between legs of HR(S)-75(S) Roller Grills with 6" Legs). Backed by APW's One Year Warranty. FOB APW Dock, freight class 100.



Bun Warmers, Dry

Model	Part Number	Description	Electric	Dimensions	Weight (lbs)	Price
BWD-31	21858900	24 bun capacity	120v, 200w, 1.7 Amps	6"H x 23 3/4"W x 19 9/16"D	65	\$1,610
BWD-31	21859000	24 bun capacity	208v, 200w, 1.1 Amps	6"H x 23 3/4"W x 19 9/16"D	65	\$1,610
BWD-45	21858300	24 bun capacity	120v, 200w, 1.7 Amps	6"H x 23 3/4"W x 30 1/2"D	68	\$1,803
BWD-45	21858200	24 bun capacity	208v, 200w, 1.1 Amps	6"H x 23 3/4"W x 30 1/2"D	68	\$1,803
BWD-50	21858700	40 bun capacity	120v, 200w, 1.7 Amps	6"H x 34 3/4"W x 19 9/16"D	91	\$1,925
BWD-50	21858800	40 bun capacity	208/240v, 200/265w, 1.1 Amps	6"H x 34 3/4"W x 19 9/16"D	91	\$1,925
BWD-75N	21858500	32 bun capacity	208/240v, 200/265w, 1.1 Amps	6"H x 31 3/4"W x 19 9/16"D	98	\$1,964
BWD-75	21858600	40 bun capacity	208v, 200w, 1.1 Amps	6"H x 34 3/4"W x 19-9/16"D	98	\$1,964

Refrigerated Topping Rails

Refrigerated countertop system keeps everything at NSF safe temperatures. The RTR-8 holds eight 1/6th size pans, the upper section holds 4 6" deep pans and the lower section holds four 4" deep pans. The RTR-4 holds 4 pans 1/6th size, 6" deep pans. Each pan has its own hinged, removable cover. All stainless steel construction and 1/2" non-adjustable legs. Cold wall refrigeration system utilizing a 1/5 hp compressor. If shipping via air freight, dimensional weights apply. Backed by APW's One Year Warranty. FOB APW Dock, freight class 70.



RTR-8



Refrigerated Topping Rails

Model	Part #	Electric	Dimensions	Weight (lbs)	Price
RTR-4	21876000	120V, 360W, 60 Hz, 1 Ph, 3 Amps	17"W x 25 5/16"D x 11 7/16"H	78	\$4,603
RTR-8	31701012	120V, 480W, 60 Hz, 1 Ph, 4 Amps	27 1/2"W x 25 13/16"D x 8 1/2"H	108	\$8,205
Export Models					
RTR-4 230V	30052100	230V, 460W, 50 Hz, 1 Ph, 2 Amps	17"W x 25 5/16"D x 11 7/16"H	78	\$4,603
RTR-8 230V	31701022	220V, 462W, 50 Hz, 1 Ph, 2.1 Amps	27 1/2"W x 25 13/16"D x 8 1/2"H	108	\$8,205
Options					
COMP-5	1800100	5-year Compressor Warranty (Net Price)			\$503
4" Metal Leg Kit for RTR				2	\$352
12" Divider Bar for RTR				2	\$37
20" Divider Bar for RTR				2	\$88

Countertop Cold Wells

Countertop Cold Wells are portable and provide an economic solution that eliminates the cost of in-counter refrigeration. Designed to hold cold foods at 34°F - 40°F. Stainless steel construction with fully insulated walls using R134A refrigerant. Hinged cover included. Holds standard steam table pans. Cannot ship UPS. If shipping via air freight, dimensional weights apply. Backed by APW's One Year Warranty. FOB APW Dock, freight class 70.



Countertop Cold Well

Model	Part #	Description	Electric	Dimensions	Weight (lbs)	Price
CTCW-43	30048400	4/3 size 12x27	120V, 1/6 hp, 3 Amps	18 1/2" H (w/lid) x 15"W x 29 9/16"D	90	\$8,040
Options						
COMP-5	1800100	5-year Compressor Warranty (Net Price)			\$503	

Drop-In Refrigerated Topping Rails

Flush mount refrigerated countertop system that keep everything at NSF safe temperatures. The RTR-4Di holds four 1/6th size pans, 6" deep. Each pan has its own hinged, removable cover. All stainless steel construction. Cold wall refrigeration system utilizing a 1/6 hp compressor. If shipping via air freight, dimensional weights apply. Backed by APW's One Year Warranty. FOB APW Dock, freight class 70. Prefer to ship LTL 85lb.



Drop-In Refrigerated Topping Rails


Model	Part #	Electric	Dimensions	Weight (lbs)	Price
RTR-4DI	30060600	120V, 360W, 60 Hz, 1 Ph, 3 Amps	16 13/32"W x 17 13/32"D x 18 3/4"H	67	\$4,603

Overhead Warmers

APW Overhead Warmers provide just the right heat to keep food warm and fresh. Available in multiple lengths and power options, they provide smooth, even heat over pass-throughs and temp food holding areas of all sizes without wasting unnecessary energy.

Single Standard Calrod Overhead Warmers

Overhead Warmers come in Standard Energy Efficient Wattage and High Performance High Heat Wattage. These Overhead Warmers are made with special “mirror finished” Aluminized reflectors that generate over 22% more heat. Pilot lights, toggle switch and mounting brackets come standard. Infinite control available for maximum temperature management. Specify 120V, 208V, or 240V. Models FD-48 through 72 are available only in 208V and 240V. Single units are 6” wide and 2 1/2” high. Add -T for Toggle or -I for Infinite Controls. For Remote, add “R” to the end of model number. For attached cord and plug, add CS after model number. Full two year warranty on elements. If shipping via air freight, dimensional weights apply. Backed by APW’s Two Year Parts and One Year Labor Warranty. FOB APW Dock, freight class 100. 60” and above must ship LTL.



Single Standard Calrod Overhead Warmers

Model	Description	Part #	Watts	Weight (lbs)	Price
High Performance, Fast Recovery					
FD-18H Toggle 120v	18” Warmer Toggle 120V	OH18HT	400	7	\$553
FD-18H Toggle 208v	18” Warmer Toggle 208V	OH18H2T	400	7	\$553
FD-18H Infinite 120v	18” Warmer Infinite 120V	OH18HI	400	7	\$619
FD-18H Infinite 208v	18” Warmer Infinite 208V	OH18H2I	400	7	\$619
FD-24H Toggle 120v	24” Warmer Toggle 120V	OH24HT	575	7	\$547
FD-24H Toggle 208v	24” Warmer Toggle 208V	OH24H2T	575	7	\$547
FD-24H Toggle 240v	24” Warmer Toggle 240V	OH24H3T	575	7	\$547
FD-24H Infinite 120v	24” Warmer Infinite 120V	OH24HI	575	7	\$634
FD-24H Infinite 208v	24” Warmer Infinite 208V	OH24H2I	575	7	\$634
FD-24H Infinite 240v	24” Warmer Infinite 240V	OH24H3I	575	7	\$634
FD-30H Toggle 120v	30” Warmer Toggle 120V	OH30HT	760	8	\$613
FD-30H Toggle 208v	30” Warmer Toggle 208V	OH30H2T	760	8	\$613
FD-30H Toggle 240v	30” Warmer Toggle 240V	OH30H3T	760	8	\$613
FD-30H Infinite 120v	30” Warmer Infinite 120V	OH30HI	760	8	\$689
FD-30H Infinite 208v	30” Warmer Infinite 208V	OH30H2I	760	8	\$689
FD-30H Infinite 240v	30” Warmer Infinite 240V	OH30H3I	760	8	\$689

* These models CSA approved
Remote units use toggle price.

Single Standard Calrod Overhead Warmers - [continued on next page](#)

Single Standard Calrod Overhead Warmers
Continued from previous page



continued....

Model	Description	Part Number	Watts	Weight (lbs)	Price
FD-36H Toggle 120v	36" Warmer Toggle 120V	OH36H1T	920	9	\$605
FD-36H Toggle 208v	36" Warmer Toggle 208V	OH36H2T	920	9	\$605
FD-36H Toggle 240v	36" Warmer Toggle 240V	OH36H3T	920	9	\$605
FD-36H Infinite 120v	36" Warmer Infinite 120V	OH36H1I	920	9	\$712
FD-36H Infinite 208v	36" Warmer Infinite 208V	OH36H2I	920	9	\$712
FD-36H Infinite 240v	36" Warmer Infinite 240V	OH36H3I	920	9	\$712
FD-42H Toggle 120v	42" Warmer Toggle 120V	OH42H1T	1100	11	\$655
FD-42H Toggle 208v	42" Warmer Toggle 208V	OH42H2T	1100	11	\$655
FD-42H Toggle 240v	42" Warmer Toggle 240V	OH42H3T	1100	11	\$655
FD-42H Infinite 120v	42" Warmer Infinite 120V	OH42H1I	1100	11	\$742
FD-42H Infinite 208v	42" Warmer Infinite 208V	OH42H2I	1100	11	\$742
FD-42H Infinite 240v	42" Warmer Infinite 240V	OH42H3I	1100	11	\$742
FD-48H Toggle 120v	48" Warmer Toggle 120V	OH48H1T	1265	12	\$675
FD-48H Toggle 208v	48" Warmer Toggle 208V	OH48H2T	1265	12	\$675
FD-48H Toggle 240v	48" Warmer Toggle 240V	OH48H3T	1265	12	\$675
FD-48H Infinite 120v	48" Warmer Infinite 120V	OH48H1I	1265	12	\$783
FD-48H Infinite 208v	48" Warmer Infinite 208V	OH48H2I	1265	12	\$783
FD-48H Infinite 240v	48" Warmer Infinite 240V	OH48H3I	1265	12	\$783
FD-54H Toggle 120v	54" Warmer Toggle 120V	OH54H1T	1425	13	\$790
FD-54H Toggle 208v	54" Warmer Toggle 208V	OH54H2T	1425	13	\$790
FD-54H Toggle 240v	54" Warmer Toggle 240V	OH54H3T	1425	13	\$790
FD-54H Infinite 120v	54" Warmer Infinite 120V	OH54H1I	1425	13	\$818
FD-54H Infinite 208v	54" Warmer Infinite 208V	OH54H2I	1425	13	\$818
FD-54H Infinite 240v	54" Warmer Infinite 240V	OH54H3I	1425	13	\$818
FD-60H Toggle 120v	60" Warmer Toggle 120V	OH60H1T	1610	14	\$780
FD-60H Toggle 208v	60" Warmer Toggle 208V	OH60H2T	1610	14	\$780
FD-60H Toggle 240v	60" Warmer Toggle 240V	OH60H3T	1610	14	\$780
FD-60H Infinite 208v	60" Warmer Infinite 208V	OH60H2I	1610	14	\$895
FD-60H Infinite 240v	60" Warmer Infinite 240V	OH60H3I	1610	14	\$895
FD-66H Toggle 208v	66" Warmer Toggle 208V	OH66H2T	1800	16	\$928
FD-66H Toggle 240v	66" Warmer Toggle 240V	OH66H3T	1800	16	\$928
FD-66H Infinite 208v	66" Warmer Infinite 208V	OH66H2I	1800	16	\$1,084
FD-66H Infinite 240v	66" Warmer Infinite 240V	OH66H3I	1800	16	\$1,084
FD-72H Toggle 208v	72" Warmer Toggle 208V	OH72H2T	1980	17	\$958
FD-72H Toggle 240v	72" Warmer Toggle 240V	OH72H3T	1980	17	\$958
FD-72H Infinite 208v	72" Warmer Infinite 208V	OH72H2I	1980	17	\$1,050
FD-72H Infinite 240v	72" Warmer Infinite 240V	OH72H3I	1980	17	\$1,050

* These models CSA approved
Remote units use toggle price.

Single Standard Calrod Overhead Warmers - continued on next page

Single Standard Calrod Overhead Warmers
Continued from previous page



continued.... Single Standard Calrod Overhead Warmers

Model	Description	Part #	Watts	Weight (lbs)	Price
Energy Efficient					
FD-18L Toggle 120v	18" Warmer Toggle 120V	OH18L1T	250	5	\$578
FD-18L Toggle 208v	18" Warmer Toggle 208V	OH18L2T	250	5	\$578
FD-18L Toggle 240v	18" Warmer Toggle 240V	OH18L3T	250	5	\$578
FD-18L Infinite 120v	18" Warmer Infinite 120V	OH18L1I	250	5	\$657
FD-18L Infinite 208v	18" Warmer Infinite 208V	OH18L2I	250	5	\$657
FD-18L Infinite 240v	18" Warmer Infinite 240V	OH18L3I	250	5	\$657
FD-24L Toggle 120v	24" Warmer Toggle 120V	OH24L1T	350	7	\$588
FD-24L Toggle 208v	24" Warmer Toggle 208V	OH24L2T	350	7	\$588
FD-24L Toggle 240v	24" Warmer Toggle 240V	OH24L3T	350	7	\$588
FD-24L Infinite 120v	24" Warmer Infinite 120V	OH24L1I	350	7	\$695
FD-24L Infinite 208v	24" Warmer Infinite 208V	OH24L2I	350	7	\$695
FD-24L Infinite 240v	24" Warmer Infinite 240V	OH24L3I	350	7	\$695
FD-30L Toggle 120v	30" Warmer Toggle 120V	OH30L1T	450	8	\$623
FD-30L Toggle 240v	30" Warmer Toggle 240V	OH30L3T	450	8	\$623
FD-30L Infinite 120v	30" Warmer Infinite 120V	OH30L1I	450	8	\$713
FD-30L infinite 208v	30" Warmer Infinite 208V	OH30L3I	450	8	\$713
FD-36L Toggle 120v	36" Warmer Toggle 120V	OH36L1T	575	9	\$640
FD-36L Toggle 208v	36" Warmer Toggle 208V	OH36L2T	575	9	\$640
FD-36L Toggle 240v	36" Warmer Toggle 240V	OH36L3T	575	9	\$640
FD-36L Infinite 120v	36" Warmer Infinite 120V	OH36L1I	575	9	\$783
FD-36L Infinite 208v	36" Warmer Infinite 208V	OH36L2I	575	9	\$783

* These models CSA approved
Remote units use toggle price.

Single Standard Calrod Overhead Warmers - continued on next page

Single Standard Calrod Overhead Warmers
Continued from previous page



continued.... Single Standard Calrod Overhead Warmers

Model	Description	Part #	Watts	Weight (lbs)	Price
FD-42L Toggle 120v	42" Warmer Toggle 120V	OH42L1T	675	11	\$702
FD-42L Toggle 208v	42" Warmer Toggle 208V	OH42L2T	675	11	\$702
FD-42L Toggle 240v	42" Warmer Toggle 240V	OH42L3T	675	11	\$702
FD-42L Infinite 120v	42" Warmer Infinite 120V	OH42L1I	675	11	\$820
FD-42L Infinite 208v	42" Warmer Infinite 208V	OH42L2I	675	11	\$820
FD-42L Infinite 240v	42" Warmer Infinite 240V	OH42L3I	675	11	\$820
FD-48L Toggle 120v	48" Warmer Toggle 120V	OH48L1T	800	12	\$672
FD-48L Toggle 208v	48" Warmer Toggle 208V	OH48L2T	800	12	\$672
FD-48L Toggle 240v	48" Warmer Toggle 240V	OH48L3T	800	12	\$672
FD-48L Infinite 120v	48" Warmer Infinite 120V	OH48L1I	800	12	\$818
FD-48L Infinite 208v	48" Warmer Infinite 208V	OH48L2I	800	12	\$818
FD-48L Infinite 240v	48" Warmer Infinite 240V	OH48L3I	800	12	\$818
FD-54L Toggle 120v	54" Warmer Toggle 120V	OH54L1T	925	13	\$740
FD-54L Toggle 208v	54" Warmer Toggle 208V	OH54L2T	925	13	\$740
FD-54L Toggle 240v	54" Warmer Toggle 240V	OH54L3T	925	13	\$740
FD-54L Infinite 120v	54" Warmer Infinite 120V	OH54L1I	925	13	\$907
FD-54L Infinite 208v	54" Warmer Infinite 208V	OH54L2I	925	13	\$907
FD-54L Infinite 240v	54" Warmer Infinite 240V	OH54L3I	925	13	\$907
FD-60L Toggle 120v	60" Warmer Toggle 120V	OH60L1T	1050	14	\$754
FD-60L Toggle 208v	60" Warmer Toggle 208V	OH60L2T	1050	14	\$754
FD-60L Toggle 240v	60" Warmer Toggle 240V	OH60L3T	1050	14	\$754
FD-60L Infinite 120v	60" Warmer Infinite 120V	OH60L1I	1050	14	\$875
FD-60L Infinite 208v	60" Warmer Infinite 208V	OH60L2I	1050	14	\$875
FD-60L Infinite 240v	60" Warmer Infinite 240V	OH60L3I	1050	14	\$875
FD-66L Toggle 240v	66" Warmer Toggle 240V	OH66L3T	1160	16	\$910
FD-66L Infinite 240v	66" Warmer Infinite 240V	OH66L3I	1160	16	\$1,078
FD-72L Toggle 208v	72" Warmer Toggle 208V	OH72L2T	1275	17	\$1,060
FD-72L Toggle 240v	72" Warmer Toggle 240V	OH72L3T	1275	17	\$1,060
FD-72L Infinite 208v	72" Warmer Infinite 208V	OH72L2I	1275	17	\$1,159
FD-72L Infinite 240v	72" Warmer Infinite 240V	OH72L3I	1275	17	\$1,159

Lighted

Single Standard Calrod Overhead Warmers

Single units are 9" wide and 2 1/2" high. Add -T for Toggle or -I for Infinite Controls. Remote control boxes are recommended (Add R). 18" to 48" available in 120V, 208V, or 240V. 54-60" available in 208V or 240V. Note: Unit and Light are the same voltage. Backed by APW's Two Year Parts and One Year Labor Warranty. FOB APW Dock, freight class 100. 60" and above must ship LTL.



Lighted Single Standard Calrod Overhead Warmers

Model	Description	Part #	Watts	Weight (lbs)	Price
High Performance, Fast Recovery					
FDL-18H Toggle 120v	18" Lighted Warmer Toggle 120V	OHL18H1T	480	7	\$912
FDL-18H Toggle 208v	18" Lighted Warmer Toggle 208V	OHL18H2T	480	7	\$912
FDL-18H Infinite 120v	18" Lighted Warmer Infinite 120V	OHL18H1I	480	7	\$1,060
FDL-18H Infinite 208v	18" Lighted Warmer Infinite 208V	OHL18H2I	480	7	\$1,060
FDL-24H Toggle 120v	24" Lighted Warmer Toggle 120V	OHL24H1T	480	7	\$967
FDL-24H Toggle 208v	24" Lighted Warmer Toggle 208V	OHL24H2T	655	8	\$967
FDL-24H Toggle 240v	24" Lighted Warmer Toggle 240V	OHL24H3T	655	8	\$967
FDL-24H Infinite 120v	24" Lighted Warmer Infinite 120V	OHL24H1I	655	8	\$1,223
FDL-24H Infinite 208v	24" Lighted Warmer Infinite 208V	OHL24H2I	655	8	\$1,223
FDL-24H Infinite 240v	24" Lighted Warmer Infinite 240V	OHL24H3I	655	8	\$1,223
FDL-30H Toggle 120v	30" Lighted Warmer Toggle 120V	OHL30H1T	840	9	\$1,088
FDL-30H Toggle 208v	30" Lighted Warmer Toggle 208V	OHL30H2T	840	9	\$1,088
FDL-30H Toggle 240v	30" Lighted Warmer Toggle 240V	OHL30H3T	840	9	\$1,088
FDL-30H Infinite 120v	30" Lighted Warmer Infinite 120V	OHL30H1I	840	9	\$1,379
FDL-30H Infinite 208v	30" Lighted Warmer Infinite 208V	OHL30H2I	840	9	\$1,379
FDL-30H Infinite 240v	30" Lighted Warmer Infinite 240V	OHL30H3I	840	9	\$1,379
FDL-36H Toggle 120v	36" Lighted Warmer Toggle 120V	OHL36H1T	1080	11	\$1,200
FDL-36H Toggle 208v	36" Lighted Warmer Toggle 208V	OHL36H2T	1080	11	\$1,200
FDL-36H Toggle 240v	36" Lighted Warmer Toggle 240V	OHL36H3T	1080	11	\$1,200
FDL-36H Infinite 120v	36" Lighted Warmer Infinite 120V	OHL36H1I	1080	11	\$1,515
FDL-36H Infinite 208v	36" Lighted Warmer Infinite 208V	OHL36H2I	1080	11	\$1,515
FDL-36H Infinite 240v	36" Lighted Warmer Infinite 240V	OHL36H3I	1080	11	\$1,515

* These models CSA approved
Remote units use toggle price.

Lighted Single Standard Calrod Overhead Warmers - [continued on next page](#)



Lighted

Single Standard Calrod Overhead Warmers

Continued from previous page



continued... **Lighted Single Standard Calrod Overhead Warmers**


Model	Description	Part #	Watts	Weight (lbs)	Price
FDL-42H Toggle 120v	42" Lighted Warmer Toggle 120V	OHL42H1T	1260	12	\$1,289
FDL-42H Toggle 208v	42" Lighted Warmer Toggle 208V	OHL42H2T	1260	12	\$1,289
FDL-42H Toggle 240v	42" Lighted Warmer Toggle 240V	OHL42H3T	1260	12	\$1,289
FDL-42H Infinite 120v	42" Lighted Warmer Infinite 120V	OHL42H1I	1260	12	\$1,678
FDL-42H Infinite 208v	42" Lighted Warmer Infinite 208V	OHL42H2I	1260	12	\$1,678
FDL-42H Infinite 240v	42" Lighted Warmer Infinite 240V	OHL42H3I	1260	12	\$1,678
FDL-48H Toggle 120v	48" Lighted Warmer Toggle 120V	OHL48H1T	1425	12	\$1,423
FDL-48H Toggle 208v	48" Lighted Warmer Toggle 208V	OHL48H2T	1425	12	\$1,423
FDL-48H Toggle 240v	48" Lighted Warmer Toggle 240V	OHL48H3T	1425	12	\$1,423
FDL-48H Infinite 120v	48" Lighted Warmer Infinite 120V	OHL48H1I	1425	12	\$1,828
FDL-48H Infinite 208v	48" Lighted Warmer Infinite 208V	OHL48H2I	1425	12	\$1,828
FDL-48H Infinite 240v	48" Lighted Warmer Infinite 240V	OHL48H3I	1425	12	\$1,828
FDL-54H Toggle 120V	54" Lighted Warmer Toggle 120V	OHL54H1T	1585	14	\$1,513
FDL-54H Toggle 208v	54" Lighted Warmer Toggle 208V	OHL54H2T	1585	14	\$1,513
FDL-54H Toggle 240v	54" Lighted Warmer Toggle 240V	OHL54H3T	1585	14	\$1,513
FDL-54H Infinite 208v	54" Lighted Warmer Infinite 208V	OHL54H2I	1585	14	\$1,887
FDL-54H Infinite 240v	54" Lighted Warmer Infinite 240V	OHL54H3I	1585	14	\$1,887
FDL-60H Toggle 120v	60" Lighted Warmer Toggle 120V	OHL60H1T	1850	15	\$1,684
FDL-60H Toggle 208v	60" Lighted Warmer Toggle 208V	OHL60H2T	1850	15	\$1,684
FDL-60H Toggle 240v	60" Lighted Warmer Toggle 240V	OHL60H3T	1850	15	\$1,684
FDL-60H Infinite 208v	60" Lighted Warmer Infinite 208V	OHL60H2I	1850	15	\$2,038
FDL-60H Infinite 240v	60" Lighted Warmer Infinite 240V	OHL60H3I	1850	15	\$2,038
FDL-66H Toggle 208v	66" Lighted Warmer Toggle 208V	OHL66H2T	2040	17	\$1,822
FDL-66H Toggle 240v	66" Lighted Warmer Toggle 240V	OHL66H3T	2040	17	\$1,822
FDL-66H Infinite 208v	66" Lighted Warmer Infinite 208V	OHL66H2I	2040	17	\$2,187
FDL-66H Infinite 240v	66" Lighted Warmer Infinite 240V	OHL66H3I	2040	17	\$2,187
FDL-72H Toggle 208v	72" Lighted Warmer Toggle 208V	OHL72H2T	2220	18	\$2,009
FDL-72H Toggle 240v	72" Lighted Warmer Toggle 240V	OHL72H3T	2220	18	\$2,009
FDL-72H Infinite 208v	72" Lighted Warmer Infinite 208V	OHL72H2I	2220	18	\$2,392

* These models CSA approved
Remote units use toggle price.

Lighted Single Standard Calrod Overhead Warmers - **continued on next page**



Lighted
Single Standard Calrod Overhead Warmers
Continued from previous page



continued... **Lighted Single Standard Calrod Overhead Warmers**

Model	Description	Part #	Watts	Weight (lbs)	Price
FDL-18L Toggle 120v	18" Lighted Warmer Toggle 120V	OHL18L1T	330	7	\$963
FDL-18L Toggle 208v	18" Lighted Warmer Toggle 208V	OHL18L2T	330	7	\$963
FDL-18L Toggle 240v	18" Lighted Warmer Toggle 240V	OHL18L3T	330	7	\$963
FDL-18L Infinite 120v	18" Lighted Warmer Infinite 120V	OHL18L1I	330	7	\$1,005
FDL-18L Infinite 208v	18" Lighted Warmer Infinite 208V	OHL18L2I	330	7	\$1,005
FDL-18L Infinite 240v	18" Lighted Warmer Infinite 240V	OHL18L3I	330	7	\$1,005
FDL-24L Toggle 120v	24" Lighted Warmer Toggle 120V	OHL24L1T	430	8	\$937
FDL-24L Toggle 208v	24" Lighted Warmer Toggle 208V	OHL24L2T	430	8	\$937
FDL-24L Toggle 240v	24" Lighted Warmer Toggle 240V	OHL24L3T	430	8	\$937
FDL-24L Infinite 120v	24" Lighted Warmer Infinite 120V	OHL24L1I	430	8	\$1,223
FDL-24L Infinite 208v	24" Lighted Warmer Infinite 208V	OHL24L2I	430	8	\$1,223
FDL-24L Infinite 240v	24" Lighted Warmer Infinite 240V	OHL24L3I	430	8	\$1,223
FDL-30L Toggle 120v	30" Lighted Warmer Toggle 120V	OHL30L1T	530	9	\$1,065
FDL-30L Toggle 240v	30" Lighted Warmer Toggle 240V	OHL30L3T	530	9	\$1,065
FDL-30L Infinite 120v	30" Lighted Warmer Infinite 120V	OHL30L1I	530	9	\$1,354
FDL-30L Infinite 240v	30" Lighted Warmer Infinite 240V	OHL30L3I	530	9	\$1,354
FDL-36L Toggle 120v	36" Lighted Warmer Toggle 120V	OHL36L1T	735	11	\$1,178
FDL-36L Toggle 208v	36" Lighted Warmer Toggle 208V	OHL36L2T	735	11	\$1,178
FDL-36L Toggle 240v	36" Lighted Warmer Toggle 240V	OHL36L3T	735	11	\$1,178
FDL-36L Infinite 120v	36" Lighted Warmer Infinite 120V	OHL36L1I	735	11	\$1,503
FDL-36L Infinite 208v	36" Lighted Warmer Infinite 208V	OHL36L2I	735	11	\$1,503
FDL-36L Infinite 240v	36" Lighted Warmer Infinite 240V	OHL36L3I	735	11	\$1,503

* These models CSA approved
Remote units use toggle price.

Lighted Single Standard Calrod Overhead Warmers - **continued on next page**

Lighted Single Standard Calrod Overhead Warmers
Continued from previous page



continued... **Lighted Single Standard Calrod Overhead Warmers**

Model	Description	Part #	Watts	Weight (lbs)	Price
FDL-42L Toggle 120v	42" Lighted Warmer Toggle 120V	OHL42L1T	835	12	\$1,267
FDL-42L Toggle 208v	42" Lighted Warmer Toggle 208V	OHL42L2T	835	12	\$1,267
FDL-42L Toggle 240v	42" Lighted Warmer Toggle 240V	OHL42L3T	835	12	\$1,267
FDL-42L Infinite 120v	42" Lighted Warmer Infinite 120V	OHL42L1I	835	12	\$1,609
FDL-42L Infinite 208v	42" Lighted Warmer Infinite 208V	OHL42L2I	835	12	\$1,609
FDL-42L Infinite 240v	42" Lighted Warmer Infinite 240V	OHL42L3I	835	12	\$1,609
FDL-48L Toggle 120v	48" Lighted Warmer Toggle 120V	OHL48L1T	960	12	\$1,403
FDL-48L Toggle 208v	48" Lighted Warmer Toggle 208V	OHL48L2T	960	12	\$1,403
FDL-48L Toggle 240v	48" Lighted Warmer Toggle 240V	OHL48L3T	960	12	\$1,403
FDL-48L Infinite 120v	48" Lighted Warmer Infinite 120V	OHL48L1I	960	12	\$1,752
FDL-48L Infinite 208v	48" Lighted Warmer Infinite 208V	OHL48L2I	960	12	\$1,752
FDL-48L Infinite 240v	48" Lighted Warmer Infinite 240V	OHL48L3I	960	12	\$1,752
FDL-54L Toggle 120v	54" Lighted Warmer Toggle 120V	OHL54L1T	1085	14	\$1,489
FDL-54L Toggle 208v	54" Lighted Warmer Toggle 208V	OHL54L2T	1085	14	\$1,489
FDL-54L Toggle 240v	54" Lighted Warmer Toggle 240V	OHL54L3T	1085	14	\$1,489
FDL-54L Infinite 120v	54" Lighted Warmer Infinite 120V	OHL54L1I	1085	14	\$1,900
FDL-54L Infinite 208v	54" Lighted Warmer Infinite 208V	OHL54L2I	1085	14	\$1,900
FDL-54L Infinite 240v	54" Lighted Warmer Infinite 240V	OHL54L3I	1085	14	\$1,900
FDL-60L Toggle 120v	60" Lighted Warmer Toggle 120V	OHL60L1T	1290	15	\$1,679
FDL-60L Toggle 208v	60" Lighted Warmer Toggle 208V	OHL60L2T	1290	15	\$1,679
FDL-60L Toggle 240v	60" Lighted Warmer Toggle 240V	OHL60L3T	1290	15	\$1,679
FDL-60L Infinite 120v	60" Lighted Warmer Infinite 120V	OHL60L1I	1290	15	\$2,083
FDL-60L Infinite 208v	60" Lighted Warmer Infinite 208V	OHL60L2I	1290	15	\$2,083
FDL-60L Infinite 240v	60" Lighted Warmer Infinite 240V	OHL60L3I	1290	15	\$2,083
FDL-66L Toggle 240v	66" Lighted Warmer Toggle 240V	OHL66L3T	1400	17	\$1,834
FDL-66L Infinite 240v	66" Lighted Warmer Infinite 240V	OHL66L3I	1400	17	\$2,220
FDL-72L Toggle 208v	72" Lighted Warmer Toggle 208V	OHL72L2T	1515	18	\$2,000
FDL-72L Toggle 240v	72" Lighted Warmer Toggle 240V	OHL72L3T	1515	18	\$2,000
FDL-72L Infinite 208v	72" Lighted Warmer Infinite 208V	OHL72L2I	1515	18	\$2,630
FDL-72L Infinite 240v	72" Lighted Warmer Infinite 240V	OHL72L3I	1515	18	\$2,630

* These models CSA approved
Remote units use toggle price.

Overhead Warmer Options

Options	Part #	Price
Remote Control Box Enclosure for (1)Toggle 120/208/240	76481	\$352
Remote Control Box Enclosure for (1) Infinite 120V	76482	\$355
Remote Control Box Enclosure for (1) infinite 208V	76977	\$355
Remote Control Box Enclosure for (1) infinite 240V	76483	\$355
Remote Control Box Enclosure for (2)Toggle 120/208/240	76484	\$340
Remote Control Box Enclosure for (2) Infinite 120V	76485	\$488
Remote Control Box Enclosure for (2) infinite 208V	76978	\$469
Remote Control Box Enclosure for (2) infinite 240V	76486	\$469
Remote Control Box Enclosure for (2) Infinite 120V, (1) Toggle 120V, (1) Indicator Light	70402012	\$450
Remote Control Box Enclosure for (2) Infinite 208V, (1) Toggle 120/240V, (1) Indicator Light	70402013	\$470
Remote Control Box Enclosure for (2) Infinite 120V, (1) Toggle 120V, (1) Indicator Light	70402016	\$462
Remote Control Box Enclosure for (3)Toggle 120/208/240	76487	\$478
Remote Control Box Enclosure for (3) infinite 120V	76488	\$599
Remote Control Box Enclosure for (3) infinite 208V	76979	\$599
Remote Control Box Enclosure for (3) infinite 240V	76489	\$599
Cord and Plug Set for Portability, 120V	75906	\$154
Cord and Plug Set for Portability, 208/240V	76099	\$178
Mounting Options:		
Tubular stand kit with one pair legs for permanent countertop mounting single units only. Up to 48"	76180	\$368
Portable leg kit with one pair legs and accessories so overhead stands freely single units only. Up to 48"	76200	\$418
Chain supports (per foot) to suspend overheads when flush mount won't do	75901	\$50



REMOTE CONTROL BOX
Single Remote control box measures 2 1/2"H x 4"L x 2 1/2"D
One control per strip.




CHAIN SUPPORT




PORTABLE LEG KIT

Overhead Mounting Heights

single unit, non-flammable surface



single unit, flammable surface



Please consult factory rep or technical service with your application questions.
* 16"-18" Low and High watt on infinite controls only, 10"-14" Low and High watt on Remote only.

APW Top-Mount, Rectangular Drop-In Food Warmers

APW heavy-duty, top-mount, drop-in, modular food warmers are designed to hold heated foods at safe and fresh serving temperatures. One-piece stainless steel top flange and heavy-gauge, deep-drawn stainless steel warming pans are standard features on all models. E-Z Locks are standard for quick and easy installation.

Sides, front, back, and bottom are fully insulated for energy savings, efficiency, quicker pre-heat and faster recovery. Individual controls for each well provide maximum versatility. Thermostatic or infinite controls available, varies per model. High-limits prevent overheating. Temperature-ready indicator lights are standard on all control types. Powerful tubular heating elements located under the warming pans for quick and efficient heating and for even heat distribution.



HFW Single-Well & Two-Well with Thermostat Control (Single), Infinite Control (2-Pan)

APW **HFW-1S** models accommodate (one) 12"x20" standard food pan or equivalent fractional inset pans and are designed for wet or dry operation. **HFW-1DS** models include a drain. **HFW-43DS** model accommodates (one) 12 x 27" food pan or equivalent fractional inset pans.

HFW SERIES Single-Pan Top-Mount Modular Warmers

APW Model #	Part #	Description	Size W x D [in]	Ship Wt. [lb]	Cubic Feet	Price
SINGLE PAN 12" x 20", TOP MOUNT						
HFW-1S	3P-HFW1TS-120	Thermostat control 120V, 1Ø, 1650W	13-3/4 x 21-3/4	24	4.15	\$1,503
HFW-1S	39P-HFW1TS	Thermostat control 208/240V, 1Ø, 1240/1650W	13-3/4 x 21-3/4	24	4.15	\$1,503
HFW-1DS	3P-HFW1DTS-120	Thermostat control, with Drain 120V, 1Ø, 1650W	13-3/4 x 21-3/4	24	4.15	\$1,649
HFW-1DS	3P-HFW1DTS	Thermostat control, with Drain 208/240V, 1Ø, 1240/1650W	13-3/4 x 21-3/4	24	4.15	\$1,649
SINGLE PAN 12" x 27", TOP MOUNT						
HFW-43DS	3P-HFW43DTS	Thermostat control, with Drain 208/240V, 1Ø, 1240/1650W	14-3/4 x 30-1/2	25	5.2	\$2,052



Food Well [Accessories](#), see page 35

APW **HFW-2S** model accommodates (two) 12"x20" standard food pans or equivalent fractional inset pans and are designed for wet or dry operation. **HFW-2DS** model includes a drain in each well.

HFW-2S, HFW-2DS Two-Pan Top-Mount Modular Warmers

APW Model #	Part #	Description	Size W x D [in]	Ship Wt. [lb]	Cubic Feet	Price
TWO PAN 12" x 20", TOP MOUNT						
HFW-2S	3P-HFW2S	Infinite control 208/240V, 1Ø, 900/1200W each	29-1/2 x 23-5/8	51	7.89	\$4,019
HFW-2DS	3P-HFW2DS	Infinite control, with Drain 208/240V, 1Ø, 900/1200W each	29-1/2 x 23-5/8	51	7.89	\$4,260
HFW-2DTS	3P-HFW2DTS	Thermostat control, with Drain 208/240V, 1Ø, 900/1200W each	29-1/2 x 23-5/8	51	7.89	\$4,260

Food Well [Accessories](#), see page 35





APW Top-Mount, Rectangular Drop-In Food Warmers HFW Three-Well, Four-Well, & Five-Well with Infinite Control

APW **HFW-3S** model accommodates (three) 12"x20" standard food pans or equivalent fractional inset pans and are designed for wet or dry operation. **HFW-3DS** model includes a drain in each well.

HFW-3S, HFW-3DS Three-Pan Top-Mount Modular Warmers

APW Model #	Part #	Description	Size W x D [in]	Ship Wt. [lb]	Cubic Feet	Price
THREE PAN 12" x 20", TOP MOUNT						
HFW-3S	3P-HFW3S	Infinite control 208/240V, 3Ø (1Ø), 900/1200W each	43-1/2 x 23-5/8	73	10.54	\$5,283
HFW-3DS	3P-HFW3DS	Infinite control, with Drain 208/240V, 3Ø (1Ø), 900/1200W each	43-1/2 x 23-5/8	74	10.54	\$5,738
HFW-3DTS	3P-HFW3DTS	Thermostat control, with Drain 208/240V, 3Ø (1Ø), 900/1200W each	43-1/2 x 23-5/8	74	10.54	\$5,738

Food Well [Accessories](#), see page 35

APW **HFW-4S** model accommodates (four) 12"x20" standard food pans or equivalent fractional inset pans and are designed for wet or dry operation. **HFW-4DS** model includes a drain in each well.

HFW-4S, HFW-4DS Four-Pan Top-Mount Modular Warmers

APW Model #	Part #	Description	Size W x D [in]	Ship Wt. [lb]	Cubic Feet	Price
FOUR PAN 12" x 20", TOP MOUNT						
HFW-4S	3P-HFW4S	Infinite control 208/240V, 3Ø (1Ø), 900/1200W each	57-1/2 x 23-5/8	95	13.56	\$6,895
HFW-4DS	3P-HFW4DS	Infinite control, with Drain 208/240V, 3Ø (1Ø), 900/1200W each	57-1/2 x 23-5/8	95	13.56	\$8,084
HFW-4DTS	3P-HFW4DTS	Thermostat control, with Drain 208/240V, 3Ø (1Ø), 900/1200W each	57-1/2 x 23-5/8	95	13.56	\$8,084




Food Well [Accessories](#), see page 35

APW **HFW-5S** model accommodates (five) 12"x20" standard food pans or equivalent fractional inset pans and are designed for wet or dry operation. **HFW-5DS** model includes a drain in each well.

HFW-5S, HFW-5DS Five-Pan Top-Mount Modular Warmers

APW Model #	Part #	Description	Size W x D [in]	Ship Wt. [lb]	Cubic Feet	Price
FIVE PAN 12" x 20", TOP MOUNT						
HFW-5S	3P-HFW5S	Infinite control 208/240V, 3Ø (1Ø), 900/1200W each	71-1/2 x 23-5/8	105	16.57	\$8,632
HFW-5DS	3P-HFW5DS	Infinite control, with Drain 208/240V, 3Ø (1Ø), 900/1200W each	71-1/2 x 23-5/8	116	16.57	\$9,877
HFW-5DTS	3P-HFW5DTS	Thermostat control, with Drain 208/240V, 3Ø (1Ø), 900/1200W each	71-1/2 x 23-5/8	116	16.57	\$9,877

Food Well [Accessories](#), see page 35



APW Top-Mount, Round Drop-In Food Warmers 4 Quart, 7 Quart & 11 Quart with Thermostat Control

APW heavy-duty, top-mount, drop-in, round food warmers are designed to hold heated foods at safe and fresh serving temperatures. APW Wyott SM-50-4s Series accommodates standard 4-quart round inset pans, and are designed for wet or dry operation. One-piece stainless steel top flange and heavy-gauge, deep-drawn stainless steel warming pans are standard features on all models. E-Z Locks are standard for quick and easy installation. Models with thermostatic controls are available. High-limits prevent overheating. Temperature-ready indicator lights are standard on all control types. Powerful tubular heating elements are located under the warming pans for quick and efficient heating and for even heat distribution.



Round Warmers, Top-Mount, 4-Quart

APW Model #	Part #	Description	Dimensions [in]	Ship Wt. [lb]	Cubic Feet	Price
NON-INSULATED, 4-QUART ROUND WARMERS, TOP MOUNT						
SM-50-4 ULS	3P-SM504ULS-120	4 Quart, Thermostat control 120V, 1Ø, 620/825W, UL APPROVED	8-1/4" O.D.	6 lb. 2.8 kg	0.82	\$1,303
SM-50-4DS	3P-SM504DULS120	4 Quart, Thermostat control with DRAIN 120V, 1Ø, 825W, UL APPROVED	8-1/4" O.D.	6 lb. 2.8 kg	0.82	\$1,424

Food Well Accessories, see page 35

Round Warmers, Top-Mount, 7-Quart

APW Model #	Part #	Description	Dimensions [in]	Ship Wt. [lb]	Cubic Feet	Price
NON-INSULATED, 7-QUART ROUND WARMERS, TOP MOUNT						
SM-50-7DS	3P-SM507DS	7 Quart, Thermostat control with DRAIN 120V, 1Ø, 825W	10-1/16" O.D.	6 lb. 2.8 kg	1.62	\$1,087
SM-50-7 ULS	3P-SM507ULS-120	7 Quart, Thermostat control 120V, 1Ø, 825W, UL APPROVED	10-1/16" O.D.	6 lb. 2.8 kg	1.62	\$1,177
SM-50-7DS ULS	3P-SM507DULS120	7 Quart, Thermostat control with DRAIN 120V, 1Ø, 825W, UL APPROVED	10-1/16" O.D.	6 lb. 2.8 kg	1.62	\$1,250


Food Well Accessories, see page 35

Round Warmers, Top-Mount, 11-Quart

APW Model #	Part #	Description	Dimensions [in]	Ship Wt. [lb]	Cubic Feet	Price
NON-INSULATED, 11-QUART ROUND WARMERS, TOP MOUNT						
SM-50-11S	3P-SM5011S	11 Quart, Thermostat control 120V, 1Ø, 825W	12" O.D.	7 lb. 3.2 kg	1.62	\$985
SM-50-11DS	3P-SM5011DS-120	11 Quart, Thermostat control with DRAIN 120V, 1Ø, 825W	12" O.D.	7 lb. 3.2 kg	1.62	\$1,094

Food Well Accessories, see page 35

TOP VIEW



APW Top-Mount, Rectangular Food Warmers
with Thermostat Control




TM-90, TM-43 MODELS Single-Pan Top-Mount Rectangular Warmers

APW Model #	Part #	Description	Dimensions [in]	Ship Wt. [lb]	Cubic Feet	Price
SINGLE PAN, FRACTIONAL SIZE, HALF-SIZE LONG, TOP MOUNT						
TM-12LS	TM-12LS-120	Half-size LONG, holds 6" x 20" pan Thermostat Control 120V, 1Ø, 750W	6 3/8 x 20-3/4	11	2.54	\$2,464
SINGLE PAN, 12" x 20" TOP MOUNT						
TM-90S	3P-TM90S-120	Thermostat Control 120V, 1Ø, 1200W	13-11/16 x 21-3/4	16	2.97	\$1,193
TM-90S	3P-TM90S	Thermostat Control 208/240V, 1Ø, 900/1200W	13-11/16 x 21-3/4	16	2.97	\$1,193
TM-90 ULS	3P-TM90ULS-120	Thermostat Control 120V, 1Ø, 1650W, UL APPROVED	13-11/16 x 21-3/4	20	4.15	\$1,373
TM-90 ULS	3P-TM90ULS	Thermostat Control 208/240V, 1Ø, 1240/1650W, UL APPROVED	13-11/16 x 21-3/4	20	4.15	\$1,373
TM-90DS	3P-TM90DS-120	Thermostat Control, with DRAIN 120V, 1Ø, 1200W	13-11/16 x 21-3/4	15	2.97	\$1,268
TM-90DS	3P-TM90DS	Thermostat Control, with DRAIN 208/240V, 1Ø, 900/1200W	13-11/16 x 21-3/4	15	2.97	\$1,268
TM-90D ULS	3P-TM90DULS-120	Thermostat Control, with DRAIN 120V, 1Ø, 1650W, UL APPROVED	13-11/16 x 21-3/4	21	4.15	\$1,470
TM-90D ULS	3P-TM90DULS	Thermostat Control, with DRAIN 08/240V, 1Ø, 1240/1650W, UL APPROVED	13-11/16 x 21-3/4	21	4.15	\$1,470
SINGLE PAN, 12" x 27" TOP MOUNT						
TM-43 ULS	3P-TM43ULS-120	Thermostat Control 120V, 1Ø, 1650W, UL APPROVED	13-1/2 x 28-1/2	22	3.85	\$1,894
TM-43 ULS	3P-TM43ULS	Thermostat Control 208/240V, 1Ø, 1240/1650W, UL APPROVED	13-1/2 x 28-1/2	22	3.85	\$1,894
TM-43D ULS	3P-TM43DULS-120	Thermostat Control, with DRAIN 120V, 1Ø, 1650W, UL APPROVED	13 -1/2 x 28-1/2	22	3.85	\$1,865
TM-43D ULS	3P-TM43DULS	Thermostat Control, with DRAIN 208/240V, 1Ø, 1240/1650W, UL APPROVED	13 -1/2 x 28-1/2	22	3.85	\$1,865

Food Well Accessories, see page 35



APW Bottom-Mount, Rectangular Food Warmers with Thermostat Control, **Square** and **Round Corner** Options



BM-80CS, BM-80C, BM-80CDS

Single-Pan Bottom-Mount Rectangular Warmers with Square Corners

APW Model #	Part #	Description	Dimensions [in]	Ship Wt. [lb]	Cubic Feet	Price
FULLY-INSULATED, SINGLE PAN, 12" x 20" BOTTOM MOUNT with SQUARE CORNERS						
BM-80CS	3P-BM80CS	Thermostat Control, FULLY INSULATED 208/240V, 1Ø, 1240/1650W	13-11/16 x 21-13/16	22	2.97	\$1,278
BM-80C ULS	3P-BM80CULS	Thermostat Control, FULLY INSULATED 208/240V, 1Ø, 1240/1650W, UL APPROVED	13-11/16 x 21-13/16	24	2.97	\$1,214
BM-80CDS	3P-BM80CDS	Thermostat Control, FULLY INSULATED with DRAIN 208/240V, 1Ø, 1240/1650W	13-11/16 x 21-13/16	22	2.97	\$1,273

Food Well [Accessories](#), see page 35

BM-30S, BM-30DS, BM-80S, BM-80DS

Single-Pan Bottom-Mount Rectangular Warmers with Round Corners

APW Model #	Part #	Description	Dimensions [in]	Ship Wt. [lb]	Cubic Feet	Price
SINGLE PAN, 12" x 20" BOTTOM MOUNT with ROUND CORNERS, Uninsulated						
BM-30S	3P-BM30S	Infinite Control 208/240V, 1Ø, 900/1200W	13-7/8 x 21-15/16	14	2.97	\$1,244
BM-30DS	3P-BM30DS-120	Infinite Control, with DRAIN 120V, 1Ø, 1200W	13-7/8 x 21-15/16	14	2.97	\$1,369
BM-30DS	3P-BM30DS	Infinite Control, with DRAIN 208/240V, 1Ø, 900/1200W	13-7/8 x 21-15/16	14	2.97	\$1,369
FULLY-INSULATED, SINGLE PAN, 12" x 20" BOTTOM MOUNT with ROUND CORNERS, Uninsulated						
BM-80S	3P-BM80S-120	Thermostat Control, FULLY INSULATED 120V, 1Ø, 1200W	13-11/16 x 21-13/16	22	2.97	\$1,200
BM-80S	3P-BM80S	Thermostat Control, FULLY INSULATED 208/240V, 1Ø, 1240/1650W	13-11/16 x 21-13/16	22	2.97	\$1,200
BM-80DS	3P-BM80DS-120	Thermostat Control, FULLY INSULATED with DRAIN 120V, 1Ø, 1200W	13-11/16 x 21-13/16	22	2.97	\$1,273
BM-80DS	3P-BM80DS	Thermostat Control, FULLY INSULATED with DRAIN 208/240V, 1Ø, 1240/1650W	13-11/16 x 21-13/16	22	2.97	\$1,273
BM-80D ULS	3P-BM80DULS	Thermostat Control, FULLY INSULATED with DRAIN 208/240V, 1Ø, 1240/1650W, UL APPROVED	13-7/8 x 21-15/16	22	2.97	\$1,099

Food Well [Accessories](#), see page 35

APW Top-Mount, Rectangular
Half-Size Food Warmers
with EZ-Lock



HFW-12DS

HFW-12DS

Half-Size, Single-Pan Top-Mount Rectangular Warmers

APW Model #	Part #	Description	Dimensions [in]	Ship Wt. [lb]	Cubic Feet	Price
SINGLE PAN, HALF-SIZE 12" x 10" TOP MOUNT with EZ-Lock						
HFW-12S	3P-HFW12S-120	Half Size, Holds 12" x 10" pan UL LISTED 120V, 1Ø, 450W, with EZ-Lock	11-5/8 x 13-7/8	18	2.16	\$2,210
HFW-12DS	3P-HFW12DS-120	Half Size, Holds 12" x 10" pan with DRAIN, UL LISTED 120V, 1Ø, 450W, with EZ-Lock	11-5/8 x 13-7/8	18	2.16	\$2,362

Food Well Accessories

Food Well Accessories

APW Part #	Description	Ship Wt. [lb]	Price
ADAPTER TOPS FOR 12" x 20" SQUARE CORNER WARMERS			
3P-20176	Adapter Top, Converts warmer to hold two 7 quart insets	2	\$169
3P-20434	Adapter Top, Converts warmer to hold two 4 quart and two 2 1/2 quart insets	2	\$173
3P-21615	Adapter Top, Converts warmer to hold three 4 quart insets	2	\$172
3P-21621	Adapter Top, Converts warmer to hold one 7 quart and one 11 quart inset	2	\$142
3P-21624	Adapter Top, Converts warmer to hold four 2 1/2 quart insets	2	\$180
ADAPTER TOPS FOR 12" x 27" SQUARE CORNER WARMERS			
3P-22589	Adapter Top, Converts warmer to hold three 7 quart insets	1	\$305
3P-23115	Adapter Top, Converts warmer to hold two 11 quart insets	1	\$292
BUILT-IN WARMER MISCELLANEOUS			
3P-21709	Drain Screen, Fits all models with drains, one per well required	1	\$43
3P-20385	Drain Valve Extension Kit, Extension from drain to counter front with remote handle, for use with "D" models only, excluding "DM" models. Includes 1/2" brass drain valve	1	\$427
3P-22592	EZ-Lock Extension Kit*, For UL listed Non-Insulated Round Warmers only to adapt to wood countertops up to 1 1/2" thick	1	\$125
3P-22593	EZ-Lock Extension Kit*, For UL listed 12" x 20" Warmers only to adapt to wood countertops up to 1 1/2" thick	1	\$178
3P-EZ0330	EZ-Lock Extension Kit*, For Fully Insulated Round Warmers only to adapt to wood countertops up to 1 1/2" thick	1	\$188
	<ul style="list-style-type: none"> • Optional 72" Wiring for APW food wells • Thermostatically controlled warmers - one required per well • Infinite Switch controlled models - one required per well • Please contact factory for availability of optional wiring 		\$293
<p>*EZ-Lock Extension Kits for UL listed units approved for installation in wood countertops. One well unit requires one kit. Two to three well units require two kits. Four to five well units require three kits.</p>			
ADAPTER PLATE for HFW-3, HFW-4, HFW-5 models			
3P-ADPTINFCTRL	Adapter Plate for models: HFW-3DS, HFW-3S, HFW-4DS, HFW-4S, HFW-5DS, HFW-5S		\$94

3P-EZ0330



APW/Bakers Pride/Star Holdings Group (Holman, Lang, MagiKitch'n, Star, Toastmaster & Wells)

Minimum Advertised Price & Minimum Resale Internet Cart

MINIMUM ADVERTISED PRICE (MAP) POLICY

This Policy applies to all means of Advertised Pricing for all Middleby Commercial Foodservice Brands

The APW/Bakers Pride/Star Holdings Group (hereinafter “the Group”) and the Middleby Corporation (hereinafter “the Corporation”) is committed to supporting our Authorized Dealers and Resellers selling the Group’s products in or into the United States & Canada by continuing to provide high-quality, premium products for the foodservice industry while maintaining its brand equity and integrity. This Minimum Advertised Price Policy (“MAP”) applies to ANY and ALL means of Advertised Pricing, to Any and ALL customers, for all Brands within the Group and the Corporation. Advertising at a price below MAP will be considered a violation of this Policy. This MAP Policy will apply to any activity which the Group or the Corporation determines, in their sole and absolute discretion, is designed or intended to circumvent the intent of this MAP Policy.

- MAP Policy pricing is the Current List Price less 45% for all Group products; and advertised at a price no less than rounded down to the nearest whole number off the Current List Price.
- If a Dealer offers or combines (i.e., “bundling”) one or more products from a single or multiple brands of the Group or the Corporation in an advertisement, the aggregate price for all products by the Group and Corporation offered for sale in combination may not be lower than the cumulative MAP for each of the products when sold separately.
- At the Dealer’s sole expense, the Dealer may offer or combine the following items of casters, warranty or freight into their product’s sell price; not to be below the product’s MAP price.

The MAP Policy applies to any advertisements of the Group’s products and designs in any and all media, including but not limited to, print advertising (e.g. magazines, catalogs, newspapers, posters, flyers and direct mail), e-mail and facsimile advertising (e.g. broadcast campaigns, flyers, coupons and similar inserts), internet or similar electronic media (e.g. Amazon, eBay, Google), Dealer websites, internet banner ads, social media blasts, social networks, search engine advertising and all other types of digital signage.

All internet advertised prices must show the product's "MAP" price or higher. Any communications stating or implying that a price below MAP may be found elsewhere on the site, that is initiated by the Dealer, would constitute advertising and would be deemed a violation of this MAP Policy. Dealers may not make any statements, displays, or communications that indicate, state, imply, or suggest that a lower price may be found at the online check out, including but not limited to: "Call for Pricing", "Chat for Pricing", "Text for Pricing", "Click for Pricing", "Email for Pricing", "Add to Cart for Pricing", "Mouse Over for Pricing", "Log In for Pricing", strike-through the price, or any of the like. This includes "shopping cart price", "chat box price" and "emailed price" that appear on the internet in any format on any Dealer's public internet website or public internet-based account, including internet search engine shopping feeds, are all subject to the Group and the Corporate MAP Policy. Website features such as automated “bounce-back” pricing emails, pre-formatted email responses, forms, automatic price display, loyalty and reward point systems and other similar features are considered “advertising” under this MAP Policy. Under this MAP Policy, the Group and the Corporation prohibit the use of split-screen, side-by-side advertising, or pop-ups to advertise a similar product of any other brand other than those that are manufactured by other brands within the Corporation. The Group and the Corporation prohibit any Dealer from redirecting (automatically, inadvertently or otherwise) a customer who is in search of a product of the Group, the Corporation or item number to any other non-Middleby brand.

No Dealer may advertise a product of the Group or the Corporation at a price in violation of this MAP Policy on any third-party platform such as Amazon, eBay, Google or any like platforms in which it may operate as a vendor or have a re-distributor operate on its behalf. No Dealer may advertise a price in violation of this MAP Policy in an effort to match or beat a competitor’s price. It is a violation of the MAP Policy to advertise a price below MAP pricing, even if such advertised price was automatically or manually generated due to a MAP Policy violation by a vendor or competition another medium or platform.

From time to time, the Group or the Corporation may discontinue certain products or engage in promotions with respect to certain products. In such events, the Group and the Corporation reserve the right to modify or suspend the MAP Policy with respect to the affected products at its sole discretion. Such changes shall apply equally to all Authorized Dealers of the Group and the Corporation.

MINIMUM RESALE INTERNET CART PRICE (MRICP) POLICY

The Minimum Resale Internet Cart Price (“MRICP”) applies to the final internet check out prices regardless of providing a customer “log in”, membership or similar (e.g., shopping cart prices, chat box prices, emailed prices, and prices on the internet website or search engines) of the Group’s or the Corporation’s products. The Group requires that when Dealers sell select products (listed below) through internet sales that these products are subject to MRICP and are sold at a price no more than a 52% discount rounded down to the nearest whole number off the current List Price. This MRICP Policy will apply to any activity which the Group or the Corporation determines, in their sole and absolute discretion, is designed or intended to circumvent the intent of this MRICP Policy.

MAP/M.R.I.C.P. Policy [continued on next page](#)

MAP/M.R.I.C.P. Policy *continued from previous page*

The MAP Policy and MRICP Policy apply only to advertised prices and do not apply to the price at which the products are actually sold or offered for sale to an individual customer at a Dealer’s place of business, including contract negotiations, or negotiations in the field. The decision to implement and enforce the MAP Policy and the MRICP Policy is solely to protect the Group’s and the Corporation’s brands, reputation and competitiveness and the Authorized Dealers who promote and sell their products based on quantitative and qualitative factors.

The MRICP policy applies to the following Group Brands and Brand product segments

Brands in their Entirety

Bakers Pride
Lang
MagiKitch’n

Star Categories

Holman conveyor toasters
(All Labeled Products)
Pro-Max Panini’s
(PST, PGT, PSC, PGC-Series Products)
Star (RTW-Series Products)
Star-Max (500 & 600-Series Products)
Ultra-Max (All Labeled Products)

Wells Categories

Drawer Warmers
Heated & Refrigerated Wells
(HT, H/RCP-Series)
Dry Wells (MDW models)
All Ventless Products

POLICY VIOLATIONS

These MAP and MRICP Policies are not intended as, nor are they to be construed as, an attempt by the Group or the Corporation to set advertised or resale prices or an agreement between the Group, the Corporation and any Authorized Dealer or other party. In addition, the Group and the Corporation will not accept any assurances of compliance with these MAP or MRICP Policies from any Authorized Dealer. Each Authorized Dealer must independently choose whether to comply with the terms of these MAP and MRICP Policies. These MAP and MRICP Policies are not negotiable and will not be altered for any individual Authorized Dealer.

The Group, the Corporation or their agent(s) will conduct a reasonable investigation in response to a suspected MAP and MRICP Policy violation. Failure to cooperate by any Authorized Dealer, including retaliatory actions by any Authorized Dealer with the Group’s or the Corporation’s investigation will be considered an additional violation.

Failure to meet the terms and conditions of the MAP and MRICP Policies will result in full, unconditional enforcement of the penalties described below. The event of a violation will be determined solely by the Group or the Corporation.

Dealer will be subject to penalties (over a 12-month period) up to and including but not limited to:

- **1st violation:** The Group or the Corporation at a minimum will issue an email communication to the non-compliant dealer requesting their compliance to the MAP and MRICP Policies. Failure to comply within 48 hours (2 days) or a repeated offense within a 3-month period will be considered a 2nd violation.
- **2nd violation:** The Group or the Corporation at a minimum will issue an email notification to the non-compliant dealer requesting their compliance to the MAP and MRICP Policies and will hold all Group shipments and/or the Corporation, until all violations are resolved. Failure to comply within 48 hours (2 days) or a repeated offense within a 6-month period will be considered a 3rd violation.
- **3rd violation** and each violation thereafter: The Group or the Corporation at a minimum will issue an email notification to the non-compliant dealer and buying group as applicable requiring their compliance to the MAP and MRICP Policies and will result in **(a) the dealer’s net pricing being increased to a price that is 50% off of the Group’s then current published List Price(s) and net pricing increased to standard market discounts off ALL Middleby Corporation Brands published List Prices and (b) any and ALL available rebates, marketing incentives, or program dollars (accrued or due in total) will be forfeited.** Failure to comply within 48 hours (2 days) or a repeated offense within a 12-month period, the Group or the Corporation at a minimum will issue an email notification to the non-compliant Dealer and buying group as applicable informing them of the a) indefinite suspension of their account with the Group and ALL Middleby Corporation Brands and b) permission to use the Group’s and the Corporation’s brand trademarks, trade names, individual brand and corporate logos, product images and product content will be indefinitely revoked. Reinstatement of the account, preferred pricing and applicable incentives or rebates may be re-evaluated by the Group and the Corporation in their sole discretion after 30 days.

DEALER ACCOUNTABILITY

In the case of a MAP or MRICP violation by a reseller who does not have an authorized relationship with the Group’s or the Corporation’s brands and instead purchases the Group’s or the Corporation’s products from an Authorized Dealer or any other reseller (i.e., dealer-to-dealer sale), the Group and the Corporation will pursue enforcement actions against the Authorized Dealer as provided above in these Policies.

OTHER PROVISIONS

These Policies are managed by the MAP/MRICP Policy Administrator(s) for the Group and the Corporation. Only the MAP/MRICP Policy Administrator(s), Group President and Group Vice President of Sales and Marketing may provide direction to Dealers concerning compliance with the MAP and MRICP Policies. And ONLY the Group Vice President of Sales and Marketing and Group President may authorize exceptions to the Policies. No other individuals, including any employee or representative of the Group or the Corporation, may provide such direction or authorizations regarding the Group’s Policies to any Dealer. It is the Dealer’s sole responsibility to remain aware of any changes to the MAP and MRICP Policies.

The terms of the MAP and MRICP Policies are confidential and are not to be disclosed to other parties. The Group and the Corporation have adopted the MAP and MRICP Policies unilaterally in furtherance of its independent business strategy and reserves, at its sole discretion, the right to change the Policies and to interpret, enforce and otherwise handle all questions and issues related to the Policies.

APW Wyott WARRANTY POLICY (USA & CANADA)

LIMITED EQUIPMENT WARRANTY

APW (as well as its subsidiaries) warrants to the original purchaser of new APW's products to be free from defects in material or workmanship, under normal and proper use and maintenance service as specified by APW and upon proper installation and start-up in accordance with the instructions supplied with each APW unit. APW's obligation under this warranty is limited to a period of one [1] year from the date of original installation, or eighteen [18] months from original invoice date, whichever occurs first. Defects that occur as a result of normal use, within the time period and limitations defined in this warranty, will at APW's discretion have the parts replaced or repaired by APW or a APW's-authorized service agency.

THIS WARRANTY IS SUBJECT TO ALL LISTED CONDITIONS

Repairs performed under this warranty are to be performed by an APW authorized service agency. APW will not be responsible for charges incurred or service performed by non-authorized repair agencies. In all cases, the nearest APW-authorized service agency must be used. APW will be responsible for normal labor charges incurred in the repair or replacement of a warranted product within 50 miles (80.5 km) of an authorized service agency. Time and expense charges for anything beyond that distance will be the responsibility of the owner. All labor will need to be performed during regular service hours. Any overtime premium will be charged to the owner. For all shipments outside the U.S.A. and Canada, please see the International Warranty for specific details. It is the responsibility of the owner to inspect and report any shipping damage claims, hidden or otherwise, promptly following delivery. No mileage or travel charges will be honored on any equipment that is deemed portable. In general, equipment with a cord and plug weighing less than 50 lb. (22.7 kg) is considered portable and should be taken or shipped to the closest authorized service agency, transportation prepaid.

CONTACT

Should you require any assistance regarding the operation or maintenance of any APW Manufacturing; phone or email our service department. In all correspondence provide the model number and serial number of the unit needing service; include the voltage or gas type.

Normal Business Hours: 8:00 a.m. to 5:00 p.m. Central

Telephone: 800-264-7827 Tech Service Option 2

Email: TechService@partstown.com

www.apwwyott.com

WARRANTY EXCLUSIONS

THE FOLLOWING WILL NOT BE COVERED UNDER WARRANTY.

APW's sole obligation under this warranty is limited to either repair or replacement parts, subject to the additional limitations detailed below. This warranty neither assumes nor authorizes any person to assume obligations other than those expressly covered by this warranty.

- Any product which has not been used, maintained, or installed in accordance with the directions published in the appropriate installation sheet and/or owner's manual, including incorrect gas or electrical connection. APW is not liable for any unit which has been mishandled, abused, misapplied, subjected to harsh chemicals, modified by unauthorized personnel, damaged by flood, fire, or other acts of nature [or God], or which have an altered or missing serial number.
- Installation, labor, and job checkouts, calibration of heat controls, air and gas burner/bypass/pilot adjustments, gas or electrical system checks, voltage and phase conversions, cleaning of equipment, or seasoning of griddle surface.
- Replacement of fuses or resetting of circuit breakers, safety controls, or reset buttons.
- Replacement of broken or damaged glass components, quartz heating elements, and light bulbs.
- Labor charges for all removable and consumable parts in gas charbroilers and hotplates, including but not limited to burners, grates, and radiants.
- Any labor charges incurred by delays, waiting time, or operating restrictions that hinder a service technician's ability to perform service.
- Replacement of parts that fail or are damaged due to normal wear or labor for replacement of parts that can be replaced during a daily cleaning routine, such as but not limited to silicone belts, PTFE non-stick sheets, control labels, knobs, bulbs, fuses, quartz heating elements, baskets, racks, and grease drawers.
- Any economic loss of business or profits.
- Non-OEM parts. Use of non-OEM parts without APW's approval will void the warranty.
- Units exceeding one [1] year from original installation date, or more than eighteen [18] months from original invoice date, whichever comes first.

ADDITIONAL WARRANTIES

- Specific/chain-specific equipment may have additional and/or extended warranties.

The foregoing warranty is in lieu of any and all other warranties expressed or implied and constitutes the entire warranty.

APW Wyott INTERNATIONAL WARRANTY POLICY

ORIGINAL EQUIPMENT WARRANTY

INTERNATIONAL

(Except U.S. and Canada)

STAR, APW WYOTT, BAKERS PRIDE, HOLMAN, LANG, MAGIKITCH'N, TOASTMASTER, WELLS products are warranted to each original Buyer and will be free from defects in material and workmanship for the period specified below, under normal and proper use and maintenance service as specified by "STAR, APW WYOTT, BAKERS PRIDE, HOLMAN, LANG, MAGIKITCH'N, TOASTMASTER, WELLS" and upon proper installation and start-up in accordance with the instructions supplied with each. Obligation under this warranty shall be limited to repairing or replacing, at its option, any part found to be defective within the specified warranty period.

STANDARD PRODUCT WARRANTY PERIOD

One (1) Year Limited Parts only

The warranty period begins upon the earlier of the date between proof of installation or 90 days after Invoice date or 90 days after shipping date.

No other Warranty terms are valid unless agreed and authorized by STAR, APW WYOTT, BAKERS PRIDE, HOLMAN, LANG, MAGIKITCH'N, TOASTMASTER, WELLS

Any labor expense or part failure incurred after the warranty period will be the responsibility of the end user.

WARRANTY EXCLUSIONS

THE FOLLOWING WILL NOT BE COVERED UNDER WARRANTY.

STAR, APW WYOTT, BAKERS PRIDE, HOLMAN, LANG, MAGIKITCH'N, TOASTMASTER, WELLS sole obligation under this warranty are limited to either repair or replacement parts, subject to the additional limitations detailed below. This warranty neither assumes nor authorizes any person to assume obligations other than those expressly covered by this warranty.

- Any product which has not been used, maintained, or installed in accordance with the directions published in the appropriate installation sheet and/or owner's manual, including incorrect gas or electrical connection. STAR, APW WYOTT, BAKERS PRIDE, HOLMAN, LANG, MAGIKITCH'N, TOASTMASTER, WELLS are not liable for any unit which has been mishandled, abused, misapplied, subjected to harsh chemicals, modified by unauthorized personnel, damaged by flood, fire, or other acts of nature [or God], or which have an altered or missing serial number.
- Installation, labor, and job checkouts, calibration of heat controls, air and gas burner/bypass/pilot adjustments, gas or electrical system checks, voltage and phase conversions, cleaning of equipment, or seasoning of surfaces.
- Replacement of fuses or resetting of circuit breakers, safety controls, or reset buttons.
- Replacement of broken or damaged glass components, quartz heating elements, and light bulbs.
- Labor charges for all removable and consumable parts.
- Any labor charges incurred by delays, waiting time, or operating restrictions that hinder a service technician's ability to perform service.

International Warranty Policy [continued on next page](#)

APW Wyott INTERNATIONAL WARRANTY POLICY

International Warranty Policy [continued from previous page](#)

- Replacement of parts that fail or are damaged due to normal wear or labor for replacement of parts that can be replaced during a daily cleaning routine, such as but not limited to silicone belts, PTFE non-stick sheets, control labels, knobs, bulbs, fuses, quartz heating elements, baskets, racks, and grease drawers.
- Any economic loss of business or profits
- Non-OEM parts. Use of non-OEM parts without STAR, APW WYOTT, BAKERS PRIDE, HOLMAN, LANG, MAGIKITCH'N, TOASTMASTER, WELLS 's approval will void the warranty.

CONTACT


International@partstown.com

www.partstown.com

Phone: +1-630-866-4385 during normal Business Hours, 8:30 am to 4:30 pm, US Central Standard Time (CST)

In all correspondence provide:

- Serial number - **mandatory**
- Model number - **mandatory**
- Sales Acknowledgment/Confirmation or Invoice - **mandatory**
- Include Site's voltage or gas type
- Location/Company's name
- Buyer/Dealer/Distributor/Vendor/Service provider info
- Pics/tech reports
- Any useful info



Charbroilers • Griddles • Hot Plates
Conveyor & Bun Grill Toasters
Classic Insulated Warmers
Roller Grills & Roller Grill Accessories
Concession • Overhead Warmers • Food Wells

**Inquiries/
Customer Service**
(800) 527-2100

Technical Service
(800) 733-2203
techservice@partstown.com

Parts
partstown.com/apw-wyott/parts

APW Wyott
265 Hobson Street | Smithville, TN 37166
Main (800) 527-2100

ApwWyott.com